



HARDSCAPE & LANDSCAPE ACCESSORIES

INTRODUCTION 02-07		N	Т	R			П	C.	TI		N		12-		7
--------------------	--	---	---	---	--	--	---	----	----	--	---	--	-----	--	---

JOINTING SAND 08-11

EDGING 12-13

ADHESIVES 14-17

CLEANERS 18-23

SEALERS 24-31

DIAMOND BLADES 32-35

FABRIC 36-43

GEOGRID 44-47

WALL SYSTEMS 48-51

TURF ACCESSORIES 52-53

BASE REPLACEMENT 54-57

EROSION & IRRIGATION 58-63

ACCESSORIES 64-67

ORDERING & RESOURCES 68-83

ABOUT SRW PRODUCTS

Welcome!

Over the past 30 plus years we've become leaders in the hardscape industry because we know it's people & partnerships that truly matter. We're family owned & operated by three generations & with that we have learned how hardscapes bring people together.

Our dealer-based company continues to thrive because of our team's commitment to helping your business succeed. Keeping to this goal, we have invested &

continue to invest in fortifying our infrastructure, expanding our staff, manufacturing, production, & distribution centers to quickly respond to the needs of our customers from coast to coast.

Our success is partnered with yours. Our high-quality hardscape accessory products ensure the triumph of our partnership.

We provide so much more than products, because we believe in people & partnerships. Our Sales Team & Customer Service Team have formed long-lasting relationships by getting to know their customer's individual needs and providing customized solutions.

Our Product Management Team cannot be matched with their expertise in product knowledge & developing innovative products. We have created excellent educational materials. In addition, they are available to provide you with expert consultation.

Our company continues to grow, & we remain both innovative & comprehensive in our product base. We appreciate your business & are especially grateful for future opportunities to partner with you.

At SRW Products we promise to continue to focus on our key priorities of PEOPLE, PRODUCTS & PARTNERSHIPS.



After all, we are SRW Products. No one does it better!

David Orton, CEO




JASON ORTON V.P. of Sales & Marketing Cell: 763-350-3327 Office: 763-260-8715 Email: jasonorton@srwproducts.com

TIM SANBORN

West Coast Sales Manager Cell: 763-203-2966 Office: 763-260-8713

Email: timsanborn@srwproducts.com



DEALER NETWORK

Our products are available from leading hardscape suppliers across the United States & Canada. Over 4,700 dealers turn to SRW Products for the consistent quality & performance they have come to trust.





DALE PERBIX Central US Sales Manager Cell: 763-498-2775 Office: 763-260-8714

Email: daleperbix@srwproducts.com



MICHAEL ANDERSON East Coast Sales Manager Cell: 856-952-2007 Office: 856-244-7004

Email: michaelanderson@srwproducts.com

Visit SRWProducts.com to meet our full sales team.

LOCATIONS

CORPORATE OFFICE

32005 126th Street PO Box 70 Princeton, MN 55371

Toll Free: 800-752-9326 **Phone:** 763-389-2722 Fax: 763-389-2725



WEST

DISTRIBUTION CENTER 4801 Feather River Blvd. Unit 4

Oroville, CA 95965

Phone: 530-212-8272

CENTRAL

DISTRIBUTION CENTER 32020 126th Street Princeton, MN 55371

Phone: 800-752-9326

SOUTHEAST

DISTRIBUTION CENTER 2441 Hwy 123 East Toccoa, GA 30577


Phone: 762-204-1770

NORTHEAST

DISTRIBUTION CENTER

Rt. 55 Industrial Center 70 Sewell Street, Unit I Glassboro, NJ 08028


Phone: 856-244-7001



East Region

Also serving Canada!







CRETE-RAIL™

Fiber reinforced concrete edging that provides rigid yet flexible support for hardscape projects.

Page 12



PERMEABLE 350

An excellent choice for permeable paver systems where high strength & water flow are needed simultaneously.

Page 41



WETLOK[™]

Air-curing jointing material for all types of paving projects with joints of 1/8" - 5".

Page 9



SS5

Use to separate the leveling pad materials from the sub-base which increases strength. Page 40






PAVERMATE Z3

Fill paver joints with polymeric sand to create strong, durable & long-lasting results.

Page 8



PAVERMATE Z3™



FEATURES

- ▶ Zero Haze: Clear polymer technology, along with the removal of Portland, Fly Ash & Crushed Limestone (which are ingredients that cause hazing) set you up for a haze-free project.
- Zero Dust: Specially mixed to bind polymers & sand, reducing fines & creating a dust-free product.
- ➤ **Zero Problems:** Rain safe in just 10 minutes. Fastest set up time in the market helps with unforeseen weather.
- ▶ Fast Acting

APPLICATION

- ► Concrete Pavers
- ► Driveways
- ► Pool Decks
- ► Patios & Walkways
- ► Concrete Overlays & Non-Overlays

COVERAGE: 1/16" - 2"

- Narrow Joints: 55 75 sq. ft.
- ▶ Wide Joints: 20 30 sq. ft.

AVAILABLE IN 5 COLORS

TAN

GRANITE

BLACK

IVORY

BEIGE*

*Region specific, ask your Territory Sales Representative for more information.

See page 70 for ordering information

SIMPLYTOUGH™ **POLYMERIC SAND**

FEATURES

- ▶ No Haze
- ► High Strength
- Easy Activation & Installation
- ► One sand for all your needs

APPLICATION

- ► Porcelain Tile
- ▶ Concrete Pavers
- ▶ Natural Stone
- Patios & Walkways
- ► Pool Decks
- ► Concrete Overlays
- Driveways

COVERAGE: 1/16" - 3/4"

- Narrow Joints: 55 75 sq. ft.
- ► Wide Joints: 25 35 sq. ft.

AVAILABLE IN 2 COLORS

TAN

GRANITE

See page 70 for ordering information

X-TREME[™]



FEATURES

- ▶ Wide Joints
- No haze due to advanced polymer technology
- Strong, solid joints
- Long-lasting to prevent washout & weeds
- ► Rain safe in 20 minutes

APPLICATION

- ▶ Wetcast
- ▶ Natural Stone
- ► Patios & Walkways
- ► Pool Decks

COVERAGE: 1/16" - 6"

- Narrow Joints: 55 75 sq. ft.
- ▶ Wide Joints: 20 30 sq. ft.

AVAILABLE IN 2 COLORS

TAN

GRANITE

See page 70 for ordering information

WETLOK™



FEATURES

- ► Can be installed in the rain
- Pre-mixed & ready to use
- ▶ Use for joints 1/8" 5"
- ► Use with hybrid or traditional base
- ► Permeable
- ► Easy to use, simply brush into joints & settle with water
- ► Resists weeds & plant growth

APPLICATION

- Light-Duty Residential Driveways NEW
- ► Porcelain NEW
- Concrete/Clay Pavers
- Patios & Walkways
- Natural Stone
- ▶ Pool Decks
- Wetcast
- Terracotta
- Installations with HexaBase™ & other base replacements

COVERAGE: 1/8" - 5"

► One tub covers 45 - 65 sq. ft. with a 1/8" ioint

AVAILABLE IN 5 COLORS

BEACH NEW

PLATINUM NEW

TAN

GRANITE

BLACK

See page 70 for ordering information









CRETE-RAIL™



FEATURES

- ► Fiber reinforced for maximum strength
- ► Fast Set Time
- ► Rigid yet flexible support
- ► Polymer-modified for long lasting performance
- ► Works better in cold climates

APPLICATION

- ► Pavers & Permeable Pavers
- ► Natural Stone & Wetcast
- ► Open Graded Base
- ► Driveways, Paths & Patios
- ► Traditional & Hybrid Base

COVERAGE

➤ One 50 lb. bag covers 13 - 17 linear feet

See page 70 for ordering information

DON'T FORGET TO SECURE THE EDGE OF YOUR PAVER PROJECT WITH SPIKES.

Spikes should be placed every 1' on the paver rail & 4 - 6" when going around a curve.

UNIVERSAL PAVER RAIL™



FEATURES

- Permanent & invisible barrier between hardscapes & other landscape materials
- ► Product height 1 7/8"
- ► Best Universal Edging

APPLICATION

- ► Straight & curved applications
- ► For use with spikes, staples or stakes

See page 70 for ordering information

FLEX PAVER RAIL™



FEATURES

- Can be applied on both straight & curved applications
- ▶ Product height 1 7/8"
- ► Most Flexible Option

APPLICATION

- Straight & curved applications
- ► For use with spikes or staples

See page 70 for ordering information

LOW PROFILE PAVER RAIL™



FEATURES

- Can be installed against wetcast or natural stone to prevent shifting
- ► Product height 1 3/16"
- ▶ Ideal for Natural Stone

APPLICATION

- ► Low profile applications
- ► For use with spikes, staples or stakes

See page 70 for ordering information



14 | SRW Products Catalog 2024



VERTICAL INSTANT LOCK™



FEATURES

- ► Instantly locks building materials in place
- ► Low Odor
- ► Interior/Exterior applications
- ▶ 10 minute working time
- ► Quick curing & non-corrosive
- ► V-notch nozzle
- ► Requires a caulking gun with a minimum 14:1 thrust ratio
- ▶ VOC Compliant

APPLICATION

- ► Household Repairs
- ▶ Natural Stone
- ► Manufactured Stone
- ► Brick, Block, & Pavers
- ► Metals/Wood
- ► Glass & Ceramic Tile
- Veneers
- ▶ Dry Stack
- Masonry
- Outdoor Kitchens

COVERAGE

▶ 210 linear inches

See page 70 for ordering information

Be sure the substrate can support the weight. To calculate the recommended amount of linear inches (cm) of adhesive needed, multiply the weight in lbs. (kg) by 2.33 (13.05).

SUPERIOR STRENGTH SOLVENT-BASED™



FEATURES

- Superior Strength & Longevity
- ▶ Works on wet or frozen surfaces
- ► High Temperature Compatible
- ► Extrudes down to 10°F
- Interior/Exterior applications
- VOC Compliant Option

APPLICATION

- Retaining Walls
- ► Pavers/Block
- ► Natural Stone
- ► Metals/Wood
- ▶ Firepits
- Works on most common landscaping & construction materials

COVERAGE

- ▶ 1/4" Bead:10 oz 32 ft, 28 oz 89 ft
- ▶ 3/8" Bead: 10 oz 14 ft, 28 oz 35 ft

See page 70 for ordering information

RAPID-SET POLYURETHANE™



FEATURES

- ▶ 1 Hour Set Time
- Designed for construction & landscape projects
- Suitable for dry or damp surfaces
- High temperature compatible up to 400° F
- Interior/exterior applications
- Premium, long-lasting strength
- VOC Compliant

APPLICATION

- ▶ Firepits
- ► Retaining Walls
- ► Pavers/Concrete
- ► Pool Copings
- ► Foam/VinyI/PVC
- ► Brick
- ► Metals/Wood
- Natural Stone
- ► Non-porous Substrates
- Works on most common landscaping & construction materials

COVERAGE

- ▶ 1/4" Bead:10 oz 32 ft, 28 oz 89 ft
- ▶ 3/8" Bead: 10 oz 14 ft, 28 oz 35 ft

See page 70 for ordering information

SF-8[™] ADHESIVE



FEATURES

- ► Fastest set-up time on the market
- Designed for construction & landscape projects
- High temperature compatible up to 250° F
- ► Interior/Exterior applications
- ► Premium long-lasting strength
- ► 1 can = 20+ traditional adhesive tubes with a 3/8" bead
- ▶ 8 minute tack free

APPLICATION

- ► Retaining Walls
- Pavers
- Concrete
- ▶ Natural Stone
- ▶ Brick
- ► Porcelain
- ► Steel/Metal
- ► Aluminum
- ► Vinyl/PVC
- ► Wood/Plywood
- ► Composite Materials
- Drywall

COVERAGE

▶ 3/8" bead = 600 linear ft

See page 70 for ordering information



PREMIUM CAULKING GUN



FEATURES

- ▶ 18:1 Thrust Ratio
- ▶ Professional Grade
- ► Spout Cutter/Seal Puncture Tool
- ► Revolving Barrel/Zinc Handle
- ► Heavy-duty Welded Design
- ▶ Recommended for VIL Vertical Instant Lock™

See page 70 for ordering information

STANDARD CAULKING GUN



FEATURES

- ▶ 10:1 Thrust Ratio
- Ladder Hook & Thumb Release
- ► Smooth Rod Cradle
- ► Heavy-duty Steel Construction

See page 70 for ordering information


ECONOMY CAULKING GUN



FEATURES

- ▶ 3:1 Thrust Ratio
- ► Non-Drip for Easy Cleanup
- ► Smooth Rod Cradle
- ► Heavy-duty Steel Construction

See page 70 for ordering information





*Always make sure at least one surface is porous. Always test in a small area. Check product label for interior/exterior use.


APPLICATION PATTERNS FOR OPTIMAL MOISTURE DRAINAGE*

For SF-8™ Adhesive, Superior Strength Solvent-Based[™] Adhesive & Rapid-Set Polyurethane Adhesive (See Fig. A & B)

For Vertical Instant Lock™ Adhesive (See Fig. C)







STANDARD DISPENSER GUN



- ► One piece plastic body
- ► Aluminum needle with brass tip
- ► Fully Adjustable Dial
- Turn adjustable dial clockwise to prevent release during transport or in storage

See page 70 for ordering information

PREMIUM DISPENSER GUN



- ► Teflon coated aluminum body
- ► Teflon coated brass tip
- ► Easy to clean off dried adhesive
- ► Fully Adjustable Dial
- Turn adjustable dial clockwise to prevent release during transport or in storage

See page 70 for ordering information

SF-8[™] CLEANER



FEATURES

- ► Twists on the standard or premium dispenser gun for easy cleaning
- Includes spray nozzle for spot cleaning on the job site
- ▶ 16 oz can for extended use

See page 70 for ordering information



SRW PRODUCTS HOW-TO'S 18 | SRW Products Catalog 2024

CLEAN BEFORE SEALING FOR THE BEST BOND

Removing all surface stains is essential to getting the best looking seal. If needed, start by using one of the following to remove specific issues.

- ► EF Efflorescence Remover™
- ► M³C Mold, Moss, & Mildew Cleaner™
- ► CDX Cleaner & Degreaser X-treme™
- ► RE Rust Eliminator™
- ► OC Organic Stain Cleaner™

Whether or not you use one of the above spot cleaners SRW Products always recommends to use **PW Paver Wash™** or **DW Dual Wash™** prior to sealing a project.



PW PAVER WASH™



FEATURES

- Opens surface pores for optimal sealer bond
- ► Removes polyhaze, efflorescence & ground-in dirt
- Restores original paver color
- ► Contains no muriatic acid or hydrochloric acid
- ► Ready to use; no diluting needed
- ▶ See chart on page 23

APPLICATION

- ► Concrete Pavers
- Clay Pavers
- ▶ Block Retaining Wall

COVERAGE

► Covers up to 200 sq. ft. per gallon

See page 71 for ordering information

DW DUAL WASH™



FEATURES

- ► Removes ground-in dirt, light grease & oil
- ► Easy to use, concentrated solution
- Contains no acid
- ► See chart on page 23

APPLICATION

- Wetcast
- ▶ Granite/Quartz
- Marble/Travertine
- ► Limestone
- ► Bluestone/Sandstone

COVERAGE

Covers up to 200 sq. ft. per gallon

See page 71 for ordering information



FEATURES

- ► Dissolves mineral deposits (efflorescence)
- ► Restores original surface color
- Contains no muriatic acid or hydrochloric acid
- ▶ Ready to use—no diluting needed
- ► See chart on page 23

APPLICATION

- ▶ Concrete Pavers
- Clay Pavers
- ► Block Retaining Wall

COVERAGE

Covers up to 200 sq. ft. per gallon

See page 71 for ordering information





your project with EF Efflorescence

Remover

Available In 1 & 5 Gal



FEATURES

- Breaks down mold, moss, mildew, lichen & algae
- ► Non-acidic, no-bleach formula
- No pressure washing, scrubbing or rinsing
- ► See chart on page 23

APPLICATION

- ▶ Concrete Pavers
- Clay Pavers
- ▶ Wetcast
- ▶ Granite/Quartz
- Marble/Travertine
- Limestone
- ► Bluestone/Sandstone
- ▶ Block Retaining Wall
- Manufactured Stone
- ► Stamped Concrete
- ► Brick
- ► Shingles
- ► Asphalt
- ▶ Wood
- Vertical Applications

COVERAGE

 Covers up to 2,200 sq. ft. per gallon of concentrate

See page 71 for ordering information

M³C Mold, Moss, & Mildew Cleaner[™] T+³< 4





CDX CLEANER & DEGREASER X-TREME



FEATURES

- ► Removes Oil, Grease, Tar, Gum, Rubber, & Paint
- ► Fast-acting concentrated formula
- ► Rinses clean with water
- ► See chart on page 23

APPLICATION

- ▶ Concrete Pavers
- ▶ Clay Pavers
- ► Concrete Permeable Pavers
- Wetcast
- ▶ Granite/Quartz
- ▶ Marble/Travertine
- ► Limestone
- ► Bluestone/Sandstone
- ► Block Retaining Wall
- Manufactured Stone

COVERAGE

Coverage varies, spot treat as needed

See page 71 for ordering information

RE RUST ELIMINATOR™



FEATURES

- ► Removes rust & hard water stains
- Rinses clean with water
- ► Heavy-duty concentrated formula
- ► See chart on page 23

APPLICATION

- ► Concrete Pavers
- ▶ Clay Pavers
- ▶ Granite/Quartz
- ► Bluestone/Sandstone
- ► Block Retaining Wall

COVERAGE

Coverage varies, spot treat as needed

See page 71 for ordering information

OC ORGANIC STAIN CLEANER™



FEATURES

- ► Breaks down organic stains from leaves, wood tannins, pine needles, acorns, fruit, wine, etc.
- ► Rinses clean with water
- ► See chart on page 23

APPLICATION

- ▶ Concrete Pavers
- ► Clay Pavers
- ▶ Wetcast
- Granite/Quartz
- Marble/Travertine
- ► Limestone
- Bluestone/Sandstone
- ► Block Retaining Wall
- Manufactured Stone

COVERAGE

Coverage varies, spot treat as needed

See page 71 for ordering information



USING A PRESSURE WASHER TO REMOVE STAINS

When using CDX Cleaner & Degreaser X-treme™ or OC Organic Stain Cleaner™ the pressure washer nozzle should

up being 1-1.5" from the surface. A 15 degree nozzle (yellow) will work best.

SRW. PRODUCTS Specialty Clean XYLENE SOLVENT Add in the Cleanup of Tools Royllows Unwanted Overspress Time Acryllo Stealers 108,04000

FEATURES

- ► Thins & dissolves acrylic sealers
- ► Fast-Acting Solvent
- ► Aids in cleanup of tools
- ► Removes Unwanted Overspray
- Removes trapped moisture in most film-forming sealers
- ► See chart on page 23

APPLICATION

- ► Concrete Pavers
- Wetcast
- ► Granite/Quartz
- ▶ Marble/Travertine
- ► Limestone
- ▶ Block Retaining Wall
- ► Manufactured Stone
- Stamped Concrete

COVERAGE

► Covers up to 200 sq. ft. per gallon

See page 71 for ordering information

SS SEALER STRIPPER™



FEATURES

- Aids in removal of sealing & curing compounds
- ► Industrial Strength
- ► Graffiti/Dry Fog Paints
- ► Tile/Carpet Adhesive
- ▶ Biodegradable
- ► See chart on page 23

APPLICATION

- ► Concrete Pavers
- Clay Pavers
- ► Concrete Permeable Pavers
- ▶ Wetcast
- ▶ Granite/Quartz
- ▶ Marble/Travertine
- ► Limestone
- ► Bluestone/Sandstone
- ► Block Retaining Wall

COVERAGE

► Covers up to 200 sq. ft. per gallon

See page 71 for ordering information







GREASE STAINS
Apply, let soak & pressure wash off



GUM et soak & hit with pressure washer



TAR STAINS
Simply wipe right off with CDX & a rag



XY XYLENE SOLVENT™?

Use XY Xylene Solvent to soften the original sealer to allow the new sealer to bond.

If the project was originally sealed with one of the following sealers:

LGX Low Gloss X-treme[™]
HGX High Gloss X-treme[™]
PRX Paver Restore X-treme[™]
DG Dual Guard[™]
HG High Gloss[™]

You can revitalize the project by spraying $XY Xylene Solvent^{m} \&$ back rolling the surface just prior to recoating the original sealer used.

	GEOGRID: CROSS REFERENCE CHART														
SRW		STRATA		SYNTEEN		MIRAFI		TENSAR		CARTHAGE		VERSA-LOK		GEOSTAR	
Series	LTDS	Stratagrid [®]	LTDS	SF	LTDS	Miragrid [®]	LTDS	MSE/HS	LTDS	GX [®]	LTDS	VersaGrid	LTDS	GeoGrid	LTDS
Universal	688	_	_	_	_	_	-	_	-	_	-	_	-	MG100	963
3 Series	1161	SG150	939	SF20	1161	2XT	1202	UX 1100	1450	SF20	1161	-	-	HP100	1155
5 Series	2064	SG200	1919	SF35	2064	3XT	2104	UX 1400	1760	SF35	2064	VG3	2064	HP200	2057
7 Series	2867	SG350	2666	SF55	2867	5XT	2826	UX1500	2860	SF55	2867	VG5	2867	HP300	2862
8 Series	3555	SG500	3412	SF65	3555	7XT	3547	UX1600	3620	SF65	3555	-	-	-	_
9 Series	4329	SG550	4346	SF80	4329	8XT	4449	UX1700	4390	SF80	4329	VG8	4329	HP500	4404
10 Series	5160	SG650	5332	SF90	5160	_	_	UX1800	5080	SF90	5160	_	_	_	_
11 Series	5906	SG700	6292	SF110	5906	10XT	5712	_	-	SF110	5906	_	-	HP700	5929

SRW Roadbase Geogrids are also available. Call for quote and individual specs.

These cross-reference tables are for comparison only. This information has been obtained from the manufacturers' literature or website. It is the users' responsibility to verify the this is the most current information. All final geogrid/construction comparisons should be determined by a licensed design engineer.

SEALERS

PS PENETRATING™



FEATURES

- ► Invisible/Natural-look finish
- Water-based
- ► CARB Compliant
- ► Minimizes salt & freeze/thaw damage
- Interior/Exterior Applications
- Makes paver maintenance easier
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- ► Clay Pavers
- ► Concrete Permeable Pavers
- ▶ Block Retaining Wall
- Manufactured Stone

COVERAGE

Covers up to 200 sq. ft. per gallon

See page 71 for ordering information

PAVER SEAL

LG LOW GLOSS™



FEATURES

- Low-gloss finish, color-enhancing
- Water-based
- ► Stabilizes joint sand from washout, weeds & ants
- ► Minimizes salt & freeze/thaw damage
- Provides UV Protection
- ► Interior/Exterior Applications
- ► See chart on page 31

APPLICATION

- ▶ Concrete Pavers
- ▶ Marble/Travertine
- ▶ Limestone
- ▶ Block Retaining Wall
- Manufactured Stone

COVERAGE

► Covers up to 150 sq. ft. per gallon

See page 71 for ordering information

PAVER SEAL

HG HIGH GLOSS™



FEATURES

- ► High-gloss, wet-look finish
- Water-based
- ► Minimizes salt & freeze/thaw damage
- ► Provides UV protection
- Stabilizes joint sand from washout, weeds & ants
- Color Enhancing
- Exterior Applications
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- ▶ Marble/Travertine
- ► Limestone
- ► Block Retaining Wall
- Manufactured Stone

COVERAGE

Covers up to 150 sq. ft. per gallon

See page 71 for ordering information

PAVER SEAL



PREVENT DAMAGE FROM:

- ► Salt/Acid Rain
- ► Pool Chemicals ► Deep Staining
- ▶ Color Fade
- ► Freeze/Thaw

► Surface Erosion

In the images shown on the right, you can see how unsealed pavers allow moisture & contaminants to seep into the surface. SRW Products sealed paver beads the salt water on the surface so it can be brushed or easily cleaned from the surface.



Sealed with SRW Products Penetrating sealers

PSX PENETRATING X-TREME Premium Seal PENETRATING X-TREME Ruse based Poortedly Rest - I was a fine of the control of the con

FEATURES

- ► Invisible/Natural-look finish
- Water-based
- ► Ideal for high traffic areas
- ► Minimizes salt & freeze/thaw damage
- ► Interior/Exterior Applications
- ▶ VOC Compliant
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- Clay Pavers
- ► Concrete Permeable Pavers
- Wetcast
- ► Block Retaining Walls
- ► Manufactured Stone

COVERAGE

► Covers up to 200 sq. ft. per gallon

See page 71 for ordering information

PREMIUM SEAL

LGX LOW GLOSS X-TREME™



FEATURES

- ► Low-gloss finish
- ► Solvent-based
- ► High Color Enhancement
- ► Minimizes salt & freeze/thaw damage
- ▶ Provides UV Protection
- ► Ideal for high traffic areas
- ▶ VOC Compliant
- ► See chart on page 31

APPLICATION

- ▶ Concrete Pavers
- ► Concrete Permeable Pavers
- ▶ Wetcast
- ► Granite/Quartz
- ► Marble/Travertine
- ▶ Limestone
- Manufactured Stone
- ► Stamped Concretes

COVERAGE

► Covers up to 250 sq. ft. per gallon

See page 71 for ordering information

PREMIUM SEAL

HGX HIGH GLOSS X-TREME™



FEATURES

- ► High-gloss, wet-look finish
- Solvent-based
- ► Minimizes salt & freeze/thaw damage
- ▶ Provides UV Protection
- ► Ideal for high traffic areas
- Color Enhancing
- ▶ VOC Compliant
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- ► Concrete Permeable Pavers
- ► Wetcast
- ► Granite/Quartz
- ► Marble/Travertine
- ► Limestone
- Manufactured Stone
- Stamped Concrete

COVERAGE

► Covers up to 250 sq. ft. per gallon

See page 71 for ordering information

PREMIUM SEAL



PRIOR TO SEALING A SURFACE

Whether using a penetrating sealer or a film forming sealer, SRW Products strongly recommends a *two* person *two* step application.

PERSON ONE:

Spray the sealer to ensure an even coat.



PERSON TWO: Roll the surface with one of our select silt foam rollers to ensure sealer is evenly distributed & does not pool in the joints or texture of the material in which it is applied.

DG DUAL GUARD™



FEATURES

- 2 levels of long-lasting protection in 1 easy step
- ► Solvent-based
- ► High-gloss, wet-look finish
- ► Acrylic/Siloxane Blend
- ► Commercial/Industrial Strength
- Provides penetrating protection from environmental damage
- VOC Compliant
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- Concrete Permeable Pavers
- Wetcast
- ▶ Granite/Quartz
- ► Marble/Travertine
- ► Limestone
- ► Block Retaining Wall
- ► Manufactured Stone
- ► Stamped Concrete

COVERAGE

Covers up to 250 sq. ft. per gallon

See page 71 for ordering information

PREMIUM SEAL



PRX PAVER RESTORE X-TREME SRW. Specialty Seal PAVER RESTOR X-TREME Note the seal of t

FEATURES

- ► Solvent-based
- Restores faded pavers with color reviving technology
- Adds rich color to older pavers
- High-gloss, wet-look, restoring pigmented sealer
- Highly durable, long lasting protection for extreme conditions
- ▶ VOC Compliant
- See chart on page 31

APPLICATION

- Concrete Pavers
- ► Concrete Permeable Pavers
- ► Granite/Quartz
- ► Marble/Travertine
- ► Limestone
- ► Exposed Aggregate Concrete

COVERAGE

► Covers up to 250 sq. ft. per gallon

SPECIALTY SEAL

See page 71 for ordering information

SGX STAIN GUARD X-TREME™



FEATURES

- ▶ Water-based
- Protects against stains from chemicals, grease & oil
- ► Minimizes salt & freeze/thaw damage
- ► Invisible/Natural-look finish
- Ideal for driveways & commercial applications
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- Clay Pavers
- ► Concrete Permeable Pavers
- Wetcast
- ▶ Block Retaining Wall

COVERAGE

► Covers up to 200 sq. ft. per gallon

See page 71 for ordering information

SPECIALTY SEAL

JS JOINT STABILIZER™



FEATURES

- ▶ Water-based
- ▶ Joint widths up to ¾"
- ▶ 2-in-1: seals surface & stabilizes joints
- ► Eliminates Joint Washout
- ► Reduces weeds & ant infestation
- ► Natural-look/Matte finish
- ► Resists moss, mold & mildew growth
- ► Residential & Commercial
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- ▶ Wetcast

COVERAGE

- ► Seals & stabilizes standard joints: Covers up to 80 -120 sq. ft. per gallon
- Cured polymeric sand: Covers up to 125 sq. ft. per gallon

See page 72 for ordering information

SPECIALTY SEAL



SRW PRODUCTS CLEANERS VS. PRESSURE WASHING

SRW Products Cleaners opens the pores of your pavers allowing sealers to bond & penetrate better. Cleaners also help to remove construction debris & dust as well as efflorescence.

Pressure Washing without a cleaner drives dirt deeper into the pores leaving the potential for reduced bonding of the sealer.

CG COUNTER GUARD™



FEATURES

- ► Solvent-based
- ► Invisible/Natural-look finish
- ► Oil wipes right off
- Protects surfaces from staining due to water, oils, grease, wine, coffee, foods & more
- ► See chart on page 31

APPLICATION

- ▶ Wetcast
- ▶ Granite/Quartz
- ► Marble/Travertine
- ► Limestone
- ► Bluestone/Sandstone
- ▶ Block Retaining Wall
- ► Manufactured Stone

COVERAGE

► Covers up to 75 sq. ft. per quart

See page 72 for ordering information

SPECIALTY SEAL





FEATURES

- Solvent-based
- ► Invisible/Natural-look finish
- Protects surface from staining
- ► Ideal for outdoor applications
- Minimizes salt & freeze/thaw damage
- ▶ VOC Compliant
- ► See chart on page 31

APPLICATION

- ► Concrete Pavers
- Clay Pavers
- ► Concrete Permeable Pavers
- ▶ Wetcast
- ► Granite/Quartz
- ► Marble/Travertine
- ► Limestone
- ► Bluestone/Sandstone
- ▶ Block Retaining Wall
- ► Manufactured Stone

COVERAGE

► Covers up to 200 sq. ft. per gallon

See page 72 for ordering information

SPECIALTY SEAL

HEAVY-DUTY CONSTRUCTION SPRAYER



FEATURES

- ▶ Use with SRW Product Sealers
- ► Galvanized Steel
- ► Can handle up to 35% solids
- ► Ideal for commercial applications

APPLICATION

Works well with all SRW Products sealers.

See page 72 for ordering information



DON'T FORGET

Our Heavy-Duty Construction Sprayer can be used for **ALL** SRW Products Sealers.



SRW SLIT FOAM



FEATURES

- ► Applies SRW Products sealers evenly
- ► Works great on textured surfaces
- ► Remains spongy & will not compress

APPLICATION

Designed for use with any SRW Products water-based sealers.

See page 72 for ordering information

SRW SLIT FOAM ROLLER X-TREME™



FEATURES

- ► Applies SRW Products sealers evenly
- ► Works great on textured surfaces
- ► Remains spongy & will not compress

APPLICATION

 Designed for use with solvent-based products. Also works well with all SRW Products sealers.

See page 72 for ordering information

SR SLIP-RESIST™



FEATURES

- Add this polypropylene aggregate to an SRW Products film-forming sealer to create a textured surface
- ► Improves slip resistance
- Adds invisible grip
- Can be used with all SRW Products film-forming sealers
- ▶ 1:1 ratio; 1pouch per 1gal

APPLICATION


- ► Specialty Seal: PRX
- ► Premium Seal: LGX, LGX VOC, HGX, HGX VOC, DG, DG VOC
- ▶ Paver Seal: LG, HG

See page 72 for ordering information



BACK ROLLING SEALERS

When spraying sealer onto pavers, back rolling will prevent the unwanted pooling of sealer on your project.





S	SRVA® PRODUCTS SURFACE APPLICATION	CONCRETE PAVERS	GLAY PAVERS	CONGRETE Permeable pavers	WETCAST	GRANITE/QUARTZ	MARBLE/TRAVERTINE	LIMESTONE	BLUESTONE/ Sandstone	BLOCK Retaining Walls	MANUFACTURED Stone	STAMPED CONGRETE	SEALER CATEGORY
	PS PENETRATING												ΙŔ
	LG LOW GLOSS												PAVER SEAL
	HG HIGH GLOSS												PA
	PSX PENETRATING X-TREME LGX LOW GLOSS X-TREME												SEAL
ERS	HGX HIGH GLOSS X-TREME												PREMIUM SEAL
SEALERS	DG DUAL GUARD												E .
	PRX PAVER RESTORE X-TREME												
	SGX STAIN GUARD X-TREME												SPECIALTY SEAL
	JS JOINT STABILIZER												IALTY
	CG COUNTER GUARD												SPEC
	S-PS PENETRATING												

Always test a small area. Check product label for interior/exterior use. Refer to surface material manufacturer's recommendations on whether or not to seal.

	SRVA® PRODUCTS SPECS/ACCESSORIES	COVERAGE Up to SQ. FT.	WATER BASED	SOLVENT BASED	PIGMENTED	SLIT FOAM ROLLER	SLIT FOAM Roller X-treme	SLIP RESIST Compatible	HEAVY-DUTY Construction Sprayer	SEALER CATEGORY
	PS PENETRATING	200 SQ.FT/GAL								.H
	LG LOW GLOSS	150 SQ.FT/GAL								PAVER SEAL
	HG HIGH GLOSS	150 SQ.FT/GAL								PAV
SEALERS	DOV DENETDATING V TREME	000 00 FT /0AI	_			_	_		_	
	PSX PENETRATING X-TREME	200 SQ.FT/GAL								EAL
	LGX LOW GLOSS X-TREME	250 SQ.FT/GAL								S E
	HGX HIGH GLOSS X-TREME	250 SQ.FT/GAL								PREMIUM SEAL
	DG DUAL GUARD	250 SQ.FT/GAL								뚭
	PRX PAVER RESTORE X-TREME	250 SQ.FT/GAL								
	SGX STAIN GUARD X-TREME	200 SQ.FT/GAL								SEAL
	JS JOINT STABILIZER	120 SQ.FT/GAL								SPECIALTY SEAL
	CG COUNTER GUARD	75 SQ.FT/QT								SPEC
	S-PS PENETRATING	200 SQ.FT/GAL								

Coverage may vary depending on surface and application. Refer to product label for full usage instructions.



Segments with Key-Hole Slots Key-hole slots are a feature on segmented style blades. They help to reduce core temps by circulating air around segments. Different widths of key-hole slots are used to control heat in different applications. Segmented blades are the industry standard for blades designed to cut a wide variety of materials. Alt. Drop Segments with U-Hole Slots Special alternating segments with taller profiles to protect against undercut while cutting asphalt & other abrasive materials. This premium feature is typically combined with wider u-slots to help lower blade temperatures, further extending the blade life. Alt. Turbo Segments with Key-Hole Slots This serrated edge is designed to give the blade faster cutting speeds while maintaining a smooth cut. This feature generally allows premium blades to cut slightly harder materials with longer blade life. Key-hole slots are also added to control core temperatures. Angled Alt. Turbo Segments with **Angled Key-Hole Slots** A feature of SRW All Purpose Blades, this style of alternating turbo segment clears debris & slurry from the cut faster, making the blade suitable for a wider range of materials. Angled key-hole slots compliment the turbo segments by further reducing segment temperatures to reduce the risk of glazing. DIAMOND BLADE SEGMENT STYLE GUIDE 5 Alt. Turbo Segments with **Angled U-slots** Combining alternating turbo segments with wide angled u-slots 6 helps the blade handle a wider range of materials without overheating the segments or core. This combination helps to ensure best blade lifespan. Segmented Turbo Rim 6 Designed for hard materials, every segment of this style blade is a turbo segment. This allows the blade to use softer bonds for faster cutting, while keeping core heat lower to resist distortion. Turbo Crown This saw tooth segment is designed to provide high speed cutting through faster debris removal, cooler blade temps, & the taller turbo crown segments offering a long lasting professional finish with smoother cuts. Continuous Turbo Rim Continuous turbo rim allows for higher RPM's without overheating the blade core & "glazing" the diamonds. For safety, MAX RPM ratings should be strictly followed.

GENERAL PURPOSE BLADES



FEATURES

- Specifically engineered for use with a variety of general purpose cutting conditions
- ▶ Standard & premium options available

APPLICATIONS

- ► Brick/Clay
- ► Cured Concrete
- ► Sandstone
- ► Limestone
- ► Travertine
- ► Retaining Wall Block
- ► Concrete Block
- ► Reinforced Concrete with Wire Mesh

SEGMENT STYLE GUIDE NUMBER & BLADE SIZE

▶ **Style 1:** 4", 4.5", 7", 9", 10", 12", 14"

▶ Style 3 & 7: 14"

▶ Style 6: 9"

▶ Style 8: 4.5", 7"

See page 33 for Segment guide information See page 72 for ordering information

ALL PURPOSE BLADES



FEATURES

- Designed to cut a variety of materials from concrete & asphalt to stone
- ► Standard & premium options available
- Can be used on a wide variety of materials

APPLICATIONS

- ► Brick/Clay
- ► Asphalt
- ► Sandstone
- ► Limestone
- ▶ Travertine
- ► Retaining Wall Block
- ► Concrete Block
- Reinforced Concrete with Wire Mesh/Rebar
- ► Green/Cured Concrete

SEGMENT STYLE GUIDE NUMBER & BLADE SIZE

▶ Style 4 & 5: 14"

See page 33 for Segment guide information See page 72 for ordering information

ABRASIVE MATERIAL BLADES



FEATURES

- Designed for cutting abrasive materials that wear away most blades quickly
- ► Premium blade for long-term reliability
- For use on even the most abrasive materials

APPLICATIONS

- ► Asphalt
- ► Green Concrete (12 hours or less)

SEGMENT STYLE GUIDE NUMBER & BLADE SIZE

▶ Style 2: 14"

See page 33 for Segment guide information See page 72 for ordering information

Ş	STATE APPLICATION	NATURAL STONE	CONCRETE PAVERS	GLAY PAVERS	WETCAST	MANUFACTURED Stone	BLOCK Retaining Walls	HIGH PSI CONCRETE (5000 OR HIGHER)	REBAR REINFORGED CONCRETE	WIRE MESH REINFORCED CONCRETE	GREEN CONCRETE (12 HRS OR LESS)	GREEN CONCRETE (20 HRS OR MORE)	CURED CONCRETE	ASPHALT	PORCELAIN
	GENERAL PURPOSE														
ADES	ALL PURPOSE														
BLA	ABRASIVE MATERIAL														
	HARD MATERIAL														

HARD MATERIAL BLADES



FEATURES

- Designed to provide fast cutting with minimal spalling
- ► Standard & premium options available
- Specifically engineered for use with a variety of general purpose cutting conditions

APPLICATIONS

- Cured Concrete
- Granite
- ► Bluestone
- Wetcast
- Pavers
- ► Natural Stone
- Reinforced Concrete with Wire Mesh/Rebar
- ► Porcelain*

SEGMENT STYLE GUIDE NUMBER & BLADE SIZE

► Style 3: 14"

▶ Style 6: 12", 14"

▶ Style 8: 4.5", 14"

*BPPB blades are the only hard material blades designed to cut porcelain

See page 33 for Segment guide information See page 73 for ordering information

4.5" SINGLE TURBO CUP WHEEL



FEATURES

 Single turbo style for increased grinding speed. Ideal for removing material in high spots.

See page 73 for ordering information


CUP WHEEL

4.5" DOUBLE TURBO

FEATURES

 Double turbo style for faster/more aggressive grinding & added diamonds/segments for longer life.

See page 73 for ordering information



Landscaping

Vegetation

Separation

Erosion

FABRIC

GENERAL LANDSCAPE MOST RW. 3' x 100' W. 3' x 100 SILVER SILVER ELITE SB2 SB3 M&S SW.

FEATURES

- ▶ 20 30 year fabric grade options
- ► Most popular fabric line
- Excellent water flow/permittivity
- ► Easy to cut, Easy to use
- ► Puncture & tear resistant
- ► Weed Control
- ► Commercial Grade
- Strength & Versatility

APPLICATION

- ► Behind Retaining Walls
- ► French Drains/Drainfields
- ▶ Gardens/Planters
- General Landscaping

ROLL SIZES OPTIONS

▶ **SB2:** 3', 4', 6', 12' ▶ **SB3:** 3', 4', 6', 8', 12'

▶ Silver: 3', 4', 6'

▶ Silver Elite: 3', 4', 6', 9', 12', 15'

See page 73 for ordering information

SPUNBOND



WEED CONTROL



FEATURES

- ▶ 15 30 year fabric grade options
- ► Highest Quality Fabric
- ► Creates a Weed Barrier
- ► Allows air, water & nutrients to pass through
- Promotes healthy plants by reducing weed growth
- ► Point-Bonded Non-Woven

APPLICATION

- ► Underlayment for Mulch & Decorative Rock
- Gardens & Landscapes
- ► Separation

ROLL SIZES OPTIONS

▶ **PS1.5:** 3'


PS3

▶ **PS2:** 3', 4', 6', 8'

▶ **PS3:** 3', 4', 6', 8', 12'

See page 74 for ordering information

POLYSPUN



PREMIUM LANDSCAPE



FEATURES

- Strength of a woven, permittivity of a non-woven
- ► Convenient sizes in folded widths
- Colored planting stripes make spacing quick & easy
- ► Retains moisture for plant health
- ▶ Weed Control

APPLICATION

- ► Soil/Landscape Stabilization
- ▶ Weed Barrier Under Landscape Beds, Gardens, Decks, Patios & Sidewalks

ROLL SIZES OPTIONS

► Pro Plus IV[™]: 3', 4', 6', 12'

▶ **Pro Plus V**™: 3', 4', 5', 6', 8', 12'

See page 74 for ordering information

WOVEN/ **NON-WOVEN**



GC3 GC PRO 4'x300' SXW.

FEATURES

- ► Highest UV resistance
- ► Convenient size in folded width
- ▶ Planting stripes make spacing easier
- ► Can be left exposed
- ▶ Weed Control

APPLICATION


- ► Greenhouse, Nurseries
- Garden Paths
- Patios
- ► Sidewalks

ROLL SIZES OPTIONS

- ► GC3™: 3', 4', 6', 10', 12', 15'
- ▶ GC Pro[™]: 3', 4', 6', 10', 12', 15.5'

See page 74 for ordering information

WOVEN



What's NEW in FABRICS?

We've got the ground covered with this new category

OUR BOXES HAVE BLOSSOMED!

Helping customers decide what product they need.



LOOKING FRESH

New look to our labels with the same great product











DON'T FORGET, LANDSCAPE FABRIC WORKS BEST WHEN LAID COMPLETELY FLAT & SECURED PROPERLY WITH STAPLES.

SRW Products offers quality 11 gauge staples in 4", 6", & 8" lengths. We also offer 6" round top Irrigation Staples to secure your drip irrigation.

Staples help secure overlapping area, to not separate during install.



NON-WOVEN



FEATURES

- ▶ Up to 8 oz. options
- ► Allows high water flow
- ► Soil-separation for added stability
- ► High-strength/dimensionally stable
- ► Rot & Mildew Resistant

APPLICATION


- ► Erosion Control
- ► Stabilization/Separation/Reinforcement

ROLL SIZES OPTIONS

- **LS3™:** 3', 4', 6', 9', 12'
- ▶ **NW4 & NW4.5:** 3', 4', 6', 12.5', 15'
- ► **NW6:** 6', 10', 12.5', 15'
- ► EC8™: 6', 12.5', 15'

See page 74 - 75 for ordering information

NEEDLE-PUNCHED







NW4, NW4.5, & NW6 | DRAINAGE/FILTRATION FABRIC



EC8™ | EROSION CONTROL FABRIC

GEOTEXTILE SP	PECIFICA	ATIONS	NON-WOVEN FABRICS			WOVEN	WOVEN FABRICS	
PROPERTIES	TEST	UNITS	NW4	NW4.5	NW6	EC8	SS5	SS6
Weight (typical)	D5261	oz/sq yd	4	4.5	6	8	4	6
Grab Tensile Strength	D4632	lbs	100	120	160	205	200	315
Grab Elongation	D4632	%	50	50	50	50	15	15
Trap-Tear Strength	D4533	lbs	45	50	60	80	75	120
CBR Puncture	D6241	lbs	300	340	410	535	700	900
Water Flow Rate	D4491	gpm/ft ²	140	135	110	95	5	4
Permittivity	D4491	1/sec	2	1.7	1.5	1.4	.05	.05
UV Resistance (500 hr)	D4355	%	70	70	70	70	70	70
Apparent Opening Size	D4751	US Sieve	70	70	70	80	40	40

Specifications current at the time of printing. Call SRW Products 800-752-9326 for inquiries.



FEATURES

- ► Meets most DOT specs
- ► Convenient sizes in folded widths
- ► Improves long-term performance of projects
- ► Excellent puncture & tear resistance
- ► Can reduce amount of base materials needed

APPLICATION

- ► Stabilize paver projects/underlayment
- ► Separation between subsoil & base
- ► Base reinforcement for roads, driveways & sidewalks
- ► Works great in structural support for retaining wall base


ROLL SIZES OPTIONS

▶ **SS5:** 4', 6', 12.5', 15', 17.5'

See page 75 for ordering information

WOVEN









WetLok™



These 12.5' & up rolls are folded before rolling for easier storage & display as smaller more compact rolls.

PERMEABLE 350™



FEATURES

- Improves long-term performance of projects
- ► Excellent puncture & tear resistance
- ► High Strength
- ► Great Water Flow
- Stabilization/Separation/ Reinforcement

APPLICATION

- ► Permeable Paver Projects
- ► Base reinforcement for roads, driveways & sidewalks
- ► Hybrid Base

ROLL SIZES OPTIONS

▶ Permeable 350™: 6.25′, 12.5′

See page 75 for ordering information

WOVEN



FABRIC FOR PERMEABLE INSTALLATIONS INCLUDING HYBRID GRADED BASE



- 1 Soil Subgrade
- 6 Small Gravel
- **2** Permeable 350™
- **7** Concrete Pavers
- 3 Underdrain
- 8 Crete-Rail™
- 4 Large Gravel
- 9 Pavermate Z3™
- **5** Medium Gravel

Construction Construction

SRW Products proudly offers many options of woven and non-woven construction sized fabric rolls.

ROLL SIZES OPTIONS

NON-WOVEN

▶ NW4: 12.5'x360', 15'x360'

NW4.5: 12.5'x360', 15'x360'

NW6: 12.5'x360', 15'x300'

NW7: 15'x300'

►EC8™: 12.5'x360', 15'x300'

NW10: 12.5'x360', 15'x300'

NW12: 12.5'x360', 15'x300'

NW16: 12.5'x360', 15'x150', 15'x300'

WOVEN

▶SS5: 12.5'x432', 15'x360', 17.5'x309'

▶SS6: 12.5'x360', 15'x300', 17.5'x258'

► SRW 270HP™: 15'x300'


► SRW 370HP™: 15'x300'

► SRW 570HP™: 15'x300'

► SRW MM402[™]: 12'x300'

SRW MM403™: 15'x300'

► SRW MM700[™]: 12'x300'



NON-WOVEN

GOOD FOR:

- ► Heavy rip-rap/boulder retaining walls
- ► Separation for roads
- ► Slope reinforcement
- ► Shoreline erosion control
- ► Landfill



BOULDER RETAINING WALLS



POND UNDERLAYMENT




DRAINAGE & FILTRATION

HEAVY RIP-RAP

WOVEN

GOOD FOR:

- ► Embankment Stabilization
- ► Roads & railways support
- ► Structural support for retaining walls
- ► Land reclamation
- ► Separation, Stabilization, & Reinforce





ROAD SUPPORT



SERVICE ROADS



STABILIZATION FOR RET. WALL FOOTING

FOR DOT SPECIFIC FABRIC

Contact your Territory Sales Representative

44 | SRW Products Catalog 2024

Avoid Failed Walls

WHAT IS GEOGRID?

Retaining wall Geogrid adds strength to retaining walls by reinforcing the soil behind the retaining wall block, like rebar reinforces concrete, making that reinforced soil part of the weight & mass of the retaining wall. If your wall is tall enough to need geogrid, which may not be very tall depending upon site configuration & soil type, it is extremely important to use the proper geogrid & amount of geogrid to avoid wall failure.



WITH NO GEOGRID INSTALLED

RETAINING WALL



FEATURES

- Adds strength & longevity to retaining walls & steep slopes
- ► Easy-to-handle roll sizes
- ► Helps prevent premature wall failure
- Adds strength & longevity to retaining walls
- ▶ Provides excellent load transfers

APPLICATION

- Retaining Walls
- ► Steep Slopes

ROLL SIZES OPTIONS

► Universal: 3', 4', 6'
► 3 Series: 4', 6', 12'
► 7-10 Series: 6',12'


See page 76 for ordering information



INSTALLING DIFFERENT GEOGRID TYPES

Bi-Directional (Universal & 3 Series)

Can be rolled out either *perpendicular or parallel* to the wall.




STOR RETAINING WALL

GEOGRID

- Market as Market as Assert as a series as a se

Uni-Directional (5-11 Series)


Must be rolled out *perpendicular* to the wall.





SAMPLE ROAD BASE GRID PLACEMENT

During installation for the Road Base Geogrid the grid should be placed in the direction of travel. Road Base Geogrid needs to overlap at least 6". If the grid does not lay flat, use staples.



ROAD BASE



FEATURES

- Provides excellent stress transfer on roadway projects
- Aids in even distribution of load weight & preventing shifting of base material to extend the life of the road
- ► Stabilizes Road Base
- ► Provides excellent stress transfer
- Prevents deterioration/shifting of base material
- ► Increases Road Life-span

APPLICATION

- ► Sub-Grade Stabilization
- ► Soft Soils Under Embankments

ROLL SIZES OPTIONS

► Type 1: 12.9' x246'
► Type 2: 12.9' x164'
► 3D Grid T: 12.9' x246'
► 3D Grid HT: 12.9' x246'
► 3D Grid XL: 12.9' x164'

See page 76 for ordering information





GEOGRID



EARTHWORKS™



FEATURES

- ► Works on standard concrete block
- ► Creates a mechanical connection with geogrid
- Saves Time & Money
- Provides Strength & Longevity
- ► Easy to use & install
- ► Works on any size wall

APPLICATION

► Retaining Walls

See page 77 for ordering information

SLEEVE-IT



FEATURES

- ► Integrates stable fence footings into the support structure of a segmental retaining wall (SRW)
- ► Maximizes Land Use
- ► Stackable & Portable
- ► Easy to Install
- ► Made with recycled material
- ► Code compliant: IBC 1015.2, IBC 1607.8.1, & ASCE 7 4.5.1.

APPLICATION

► Retaining Walls

See page 77 for ordering information

AMERICAN WICK **DRAIN**




FEATURES

- ► Reduce & redirect subsurface water
- ► Reduce subsurface foundation hydrostatic pressure
- ► Moisture retention for green roofs
- Creates continuous flow path to designated drainage exits
- ► Multiple Options of drainage board available: Contact SRW Product Territory Sales Representative to request a quote

APPLICATION

- ► Blindside Walls
- ► Foundation Walls
- Green Roof & Planters
- Retaining Walls
- Drainage for Sports Fields

See page 77 for ordering information



AMERICAN WICK DRAIN

American Wick Drain allows water to flow [permeable] while catching/holding the base/backfill material in place & provides a continuous flow path to designated drainage exits.



PRELIMINARY DESIGNS



GET STARTED TODAY

1. Download a form from our website:



2. Email completed form to CustomerService@SRWProducts.com

PRELIMINARY DESIGN **FORM NOTES:**


- ► If the project is simple & just cross sections are required, we may be able to get enough information over the phone
- ► For more complex site configurations, a sketch or grading plans may be needed
- ▶ If a material estimate is desired, a more complete sketch or grading plan will be needed

Interested in more ways we can help? Ask us about Stamped Engineering for under \$600!




TAKE THE GUESSWORK OUT OF **RETAINING WALL ESTIMATES.**

Use our FREE preliminary wall design service to prepare accurate retaining wall estimations using SRW Products. Preliminary designs can be performed with OVER 70 different types of retaining wall units.



Free Preliminary Designs Include:

- ► Exposed/total height designs
- Installation guidelines
- ► Material estimates





HTS PRO GUIDES



FEATURES

- ► The Pros Guide shows how to plan, estimate materials & build quality retaining walls 8 feet & under. This step-by-step guide makes it easy for you & your customers to achieve stamped engineering for under \$600.
- Order yours today through your Territory Sales Representative

See page 77 - 78 for ordering information



STAMPED WALL ENGINEERING

IN AS LITTLE AS 7 DAYS!

Building codes often require a building permit & structural wall design prepared by a qualified engineer for retaining walls as short as 2' in exposed height. Requirements will vary but Hardscape Technical Solutions makes this process quick & easy!






To Find out more & connect with our engineers visit: hardscapetech.com











PLANNING

DESIGN TABLES

INSTALLATION

Stamped engineering is available for the retaining wall blocks featured in The Pros Guide.

Refer to the Pros Guide for more information on walls that will qualify for Stamped Engineering with HTS.

*May apply to walls that are 8 feet & under.

WE CREATE PRELIMINARY DESIGNS FOR HUNDREDS OF DIFFERENT BLOCKS.



TURF NAILS



- 5" 40D Smooth Bright Steel Nail: Rusting starts in soil to secure turf better
- 6" 60D Spiral Galvanized Steel
 Nail: Resistant to rust making turf
 maintenance easier
- ► Commercial & Residential use
- Suitable for all soil types
- More durable than cheap alternatives that bend on installation

APPLICATION

- ► Turf
- Multi-use: Secure Edging, Tents & More

See page 78 for ordering information

SEAMS RIGHT™ TAPE



- ► High tensile & shear strength
- Specially designed for use with Seams Right™ Turf Adhesive
- ► Commercial & Residential use

APPLICATION

- ► Synthetic Turf
- Putting Greens
- ► Pet Areas
- Playgrounds
- Landscaping

ROLL SIZES OPTIONS

▶ 6" x100', 12" x50', 12 " x100'

See page 78 for ordering information

SEAMS RIGHT™ TURF ADHESIVE



- ► High-Viscosity Formula
- ► Moisture Curing
- Weather Resistant
- ► Fast Setting
- ► Interior/Exterior
- ▶ VOC Compliant

APPLICATION

- ► Synthetic Turf
- Putting Greens
- ► Pet Areas
- Playgrounds
- Landscaping

See page 78 for ordering information

These Turf accessories will seam your turf the right way.



WHY HEXABASE™?

STORMWATER MANAGEMENT

Most parking lot designs will require a detention/retension ponds for stormwater management.

HexaBase™ could remove the need for additional water mitigation, saving you time & money.



LESS MAINTENANCE

Keep cart paths looking pristine at a golf course. Avoid sealcoating an asphalt parking lot every three years. Stop potholes & mud issues in a small business lot.



HIDDEN FUNCTIONALITY

Create an extra parking spot at your house with the appearance of grass.

Hide a required fire apparatus lane with a stabilized grass route.



COST SAVINGS

No cost for paving material. Much less stormwater management required. Reduced ground maintenance. Lower chance for pavers settling, requiring new polymeric sand.

HEXABASE[™]



FEATURES

- Save time and money on excavation, fill material, & long term maintenance costs
- ► 100% permeable: will not trap moisture like similar foam-based products
- Interlocking panels make a custom-sized base reinforcement
- ► Follows & conforms to standard guidelines for paver installations
- Designed to be used with traditional edging & concrete edging
- Resistant to flexing during freeze/ thaw cycles
- ► Dimensions: 19.75" x 19.75" x 1.9" to cover 2.7 sq. ft.


APPLICATION

- ► Standard Paver Installations
- Overflow Parking Area
- ► Grass/Gravel Driveways
- ► Golf Course Cart Paths
- ► Fire Access Lanes
- ▶ Barn Floor Erosion Control
- ► Hiking Trail Slope Stabilization
- ► Feedlot Erosion Control

See page 78 for ordering information

INTERLOCKING BASE REINFORCEMENT

BASE REPLACEMENT SYSTEM



- 1 Soil Subgrade
- **2** SB3
- **3** HexaBase[™]
- 4 Base

- 5 1" Bedding Sand
- 6 Concrete Pavers
- **7** Crete-Rail[™]
- 8 WetLok™



ULTRA DRIVE 3D™



FEATURES

- Follows & conforms to standard guidelines for paver installation process
- ► Reduces base excavation & fill up to 50%* in poor base soil
- Significantly reduce the effects of freeze/thaw cycles on paver driveways
- Installs easily, no special procedures needed
- Strongest driveway grid in the market


APPLICATION


- ▶ Paver Driveways
- ► Asphalt Driveways
- ► Concrete Driveways
- ► Hybrid Installations


*Base reduction may vary depending on location/ area & soil quality

See page 78 for ordering information

THREE-DIMENSIONAL DRIVEWAY GRID







FEATURES

- ► Single or double sided-options
- ► Weed-Free Straw
- ► Erosion control up to one year
- ► Serves as a mulching layer
- ► Natural or Synthetic Net

APPLICATIONS

▶ Single Sided: 3:1 Slope

▶ Double Sided: 2:1 Slope

Cover Septic Systems

► Highway Slopes

► Embankments

► Shoreline Stabilization

ROLL SIZES OPTIONS

► Single Sided: 4', 8'

▶ Double Sided: 8'

See page 78 for ordering information

DON'T FORGET, WHEN PURCHASING EROSION CONTROL BLANKETS TO INCLUDE THE ACCESSORIES

Along with our industry leading fabric & blankets, we also have all the necessary accessories to go with them. We've got you covered with staples & staple setters.

EXCELSIOR BLANKET



FEATURES

- ▶ 100% Aspen Wood
- ▶ Natural or Synthetic Net
- ▶ Erosion control up to 12 months

APPLICATIONS

- ► Erosion Control Slopes
- ► Cover Septic Systems
- ► Highway Slopes
- ► Embankments
- ► Shoreline Stabilization

See page 78 for ordering information

COCONUT/STRAW **BLANKETS**



FEATURES

- ▶ 100% coconut, or straw & coconut mix options
- ▶ Erosion control up to 36 months
- ► Serves as a mulching layer
- ► Natural or Synthetic Net

APPLICATIONS

- ► Erosion Control Slopes
- ► Double Sided 30% Coconut/ 70% Straw: 2:1 Slope
- ► Double Sided 100% Coconut: 1:1 Slope
- ► Cover Septic Systems
- Highway Slopes
- Embankments
- ► Shoreline Stabilization

See page 78 for ordering information

TURF REINFORCEMENT MAT



FEATURES

- ► Provide excellent protection for seeds & newly sprouted grasses or plants
- ► Erosion control greater than 36 months
- ► Turf reinforcement for more severe slope applications

APPLICATIONS


- ► Erosion Control Slopes
- ▶ 1:1 Slope
- ► Cover Septic Systems
- ► Highway Slopes
- Embankments
- ► Shoreline Stabilization


See page 78 for ordering information



EROSION CONTROL BLANKETS & STAPLE PLACEMENTS

Reference these diagrams for the correct staple placements upon installation of any of our erosion contol blankets!





STRAW WATTLES



FEATURES

- Use these weed-free wattles over bare soil or in conjunction with erosion control blankets, on steep slopes, around drains for inlet protection or as perimeter control for job sites
- Helps stabilize slopes by slowing, spreading & filtering overland water flow
- ► Flexible & conforms to the surface
- Resists & prevents wash out in sloped ditches or slopes

APPLICATIONS

- ► Erosion Control Slopes
- ► Cover Septic Systems
- ► Highway Slopes
- Embankments
- ► Shoreline Stabilization

See page 78 for ordering information

SILT SOCK



FEATURES

- Environmentally friendly erosion control for wetlands, waterways & general areas under construction
- ► Filters 90% of sediment from runoff
- ► Easy Install, Reusable
- ► No equipment needed to install
- ► Resists & prevents wash out in sloped ditches or slopes

APPLICATIONS

- ► Erosion Control Slopes
- ► Cover Septic Systems
- ► Highway Slopes
- Embankments
- ► Shoreline Stabilization

See page 78 for ordering information



FEATURES

- ► Adds Growing Space
- ► Easy to move around
- ► Cost Effective
- ► Prevents Over-Watering
- ► Regulates Temperatures
- ► Easy to Use
- ► Collapsible for Storage
- ► Reusable

APPLICATIONS

- ► Fruits & Vegetables
- ► Commercial Crops
- ► Plants & flowers that do not have deep root systems
- ► Herbs
- ► Cannabis

COVERAGE

▶ 5 gal: 0.75 cu. ft. soil

▶ 10 gal: 1.5 cu. ft. soil

▶ 15 gal: 2.25 cu. ft. soil

▶ 20 gal: 3 cu. ft. soil

See page 78 for ordering information





SRW GROW BAGS

SRW Grow Bags™ are great for rentals or balconys, with this lightweight bag you can be sure to easily move your plants where they can grow their best. Weather your a first timer or an experienced gardener SRW Products Grow Bags are sure to help.

TREE WATERING BAGS



FEATURES

- Protect your tree investments & optimize growth with slow release
- ▶ Holds up to 20 gallons
- ▶ 8+ hour water release
- ► Commercial Grade Material
- ▶ No tools required for installation
- ► Easy to Install
- ► Save Time & Money

APPLICATIONS

Ideal for tree trunks up to 4" in diameter or chain multiple bags together for larger trunks

See page 78 for ordering information

TREE WATERING RINGS



FEATURES

- Protect your tree investments & optimize growth with slow release
- ► Holds up to 15 gallons
- ▶ 6+ hour drip time
- ► Two valves for even distribution
- Reduces transplant shock & drought stress

APPLICATIONS

Ideal for tree trunks up to 6" in diameter

See page 79 for ordering information



FEATURES

- Silt Fence is a woven fabric that temporarily controls sediment on construction sites
- ► Meets most DOT specs
- Stakes are pointed for easy install
- Protects water quality in nearby streams, rivers & lakes from sediment in storm water runoff
- Silt Fence comes with pre-attached posts

APPLICATIONS

► Around Construction Sites

See page 79 for ordering information





DRAINFIELD DF1.5

FEATURES

- ▶ Polyester geotextiles are commercialgrade drainage fabrics
- ► High Puncture Resistance
- ▶ High Water Flow
- ► Excellent Filtration

APPLICATIONS


- ► Septic Systems
- Drainfields
- ► French Drains

ROLL SIZES OPTIONS

▶ **DF1.5:** 3', 4', 5', 6', 12'

▶ **DF2:** 3', 4', 6', 12'

See page 79 for ordering information



JUTE MESH



FEATURES

- ► Great for environmentally sensitive erosion control applications
- ► Biodegradable blanket woven from spun jute yarns
- ► Typically provides 6 9 months of erosion control
- ▶ Up to 70 75% open area
- Large aperture size to minimize harm to wildlife

APPLICATIONS

- ► Recommended slope is 3:1
- ► Slope protection
- ► Re-vegetation

See page 79 for ordering information

ROCK LOG



FEATURES

- ► A woven monofilament tube sock filled with rock or aggregate to minimize runoff on hard surfaces or landscape areas
- First & last line of defense for filtration in roadways
- ▶ Designed to be filled on site

APPLICATIONS

- ► Hard Surfaces
- ▶ Protect Curb Inlets
- ► Provides a Barrier Against Sediment Washout

See page 79 for ordering information



EROSION & IRRIGATION

DANDY PRODUCTS



FEATURES

- ▶ Soil erosion during construction can find its way in to the city's water system through storm sewers, grates & inlets. Because of the potential danger to our environment & sewer systems, the government has required contractors to use a professional-grade inlet filter & to erect their own sediment control solutions & measures when starting any new project. SRW Products partners with Dandy Products to ensure your small & large projects are protected.
- ► Unique Patented Designs
- ► Easy-to-see bright orange solutions
- Easy to install, maintain, inspect & reuse


APPLICATIONS


► Around Curbs & Gutter Inlets


Contact your local Territory Sales Representative for custom sizes or overflow ports!


See page 79 for ordering information













SRW PATH STABILIZER™



FEATURES

- ► Stabilizes Pathways & Patios
- Liquid bonding agent that controls dust
- One easy-to-use formula ideal for both commercial & residential applications
- ► Minimizes tracking & weed growth

APPLICATIONS

- ► Decomposed Granite
- ► Crushed Stone 3/8″-1/4″ minus
- ► Pathways & Patio Areas

COVERAGE

► Covers up to 75 sq. ft. per 5 gallons

See page 79 for ordering information

MULCH STABILIZER™

Not only prevents your mulch from moving around during weather events or wind, but it also provides a protective barrier that will help reduce the washout of pigmented fibers.

MULCH STABILIZER™



FEATURES

- ► Locks Mulch in Place
- ► Easy to Use
- ► Enhances Color
- ▶ Prevents Fading
- ▶ Dries Clear
- ► Flexible Bond
- ► Helps prevent weed growth

APPLICATIONS

- ► Colored & Natural Mulch
- ► Synthetic Mulch
- ► Pine Straw
- ► Sand & Dirt

COVERAGE

Covers up to 200 sq. ft. per gallon

See page 79 for ordering information

PIN POUNDER



FEATURES

► Magnetic ends keep the pin in place

APPLICATION

► Use with round top pins

See page 79 for ordering information

STAPLE SETTER



FEATURES

► Magnetic ends keep the staple in place

APPLICATION


▶ Use with 11 gauge, 1" wide steel staples of any length


See page 79 for ordering information



EROSION CONTROL BLANKETS & STAPLE PLACEMENTS

Reference these diagrams for the correct staple placements upon installation of any of our erosion contol blankets!





SPIKES



FEATURES

- ► Smooth or Spiral
- ► Bright or Galvanized finishes
- ▶ 10" & 12" lengths

APPLICATIONS

- ▶ Paver Rail™
- ► Timber

See page 79 for ordering information

STAPLES



FEATURES

- Many sizes with convenient packaging options
- ► Bulk & Carton Options

APPLICATIONS

- ► Fabric
- ► Geogrid
- ► Erosion control product installation
- Irrigation
- ► Newly Laid Sod

See page 79 - 80 for ordering information

PINS




FEATURES

- ► Large diameter head
- ► 6" length

APPLICATIONS

- ► Fabric
- ► Erosion control product installation
- ► Newly Laid Sod

See page 80 for ordering information



10" GALVANIZED SPIKE

8" LANDSCAPE STAPLE

B" LANDSCAPE STAPL

4" LANDSCAPE STAPLE G

IRRIGATION STAPLE ROUND TOP PIN Н

STRINGALONG™



FEATURES

- Makes raising & lowering the stringline elevations easy
- Easily visible from a distance, unlike pencil marks
- Take down the line & put it back up without measuring
- Ability to create three to four different lines from the same point
- ► Built to last from nylon with a brass insert & zinc coated thumbscrew
- ► Fits round stakes up to 1"

APPLICATION

- Hardscaping
- Surveying
- Fencing
- ▶ Concrete & Masonry

See page 80 for ordering information

STRINGALONG™ STAKES



FEATURES

- ▶ 24" tall, 3/4" round steel
- ► Holes for quick nailing
- ► Pointed Tip
- ► Reusable

APPLICATION

- ► Concrete & Masonry
- ► Setting Line Levels
- ► Use with SRW Products StringAlong[™]
- ► Plant Support
- Surveying

See page 80 for ordering information

6 MIL. POLY SHEETING



FEATURES

- ► Redirect water flow
- ► Easy to cut, Easy to use
- ► Tear Resistant
- ▶ Full weed control from underneath

APPLICATION

- ► Runoff Mitigation
- ► Moisture retention for concrete curing
- ► Project protection from rain

See page 80 for ordering information

STRETCH WRAP



FEATURES

 SRW Products offers a range of stretchable, highly elastic plastic film that keeps items tightly bound.

See page 80 for ordering information





Authorized Dealer Dealer

We're constantly partnering with new reputable dealers across North America to ensure that you always have access to the best products, regardless of where your project is located. Scan the QR Code below to find the closest SRW Products dealer to you. Although our distribution centers are some of the fastest in the industry, there's always a chance that our dealers recently ran out of our products. We recommend contacting the dealer in your area prior to making a trip to their location to ensure they have the product(s) in stock that you are looking for.

Do you have a favorite dealer that isn't in our network? Give them a call & tell them about us. Our responsiveness & quick turn-a-round time means that they could be carrying our extensive line of products in no time.



SEALER DISPLAY

FABRIC DISPLAY

ADHESIVE DISPLAY



FEATURES

- ▶ Dimensions: 72" H x 28" W x 24" D
- Quality heavy-duty construction, to easily handle SRW Products cleaners & sealers
- ► Four Wire Shelves
- Sign Channel to hold product labels (ordered separately)
- Powder coat finish: semi-gloss black
- Header Sign Set Conveniently packaged with the display

See page 83 for ordering information



FEATURES

- ▶ Dimensions: 72" H x 28 1/4" W x 27" D
- Quality heavy-duty construction, to easily handle SRW Products fabric & geogrid
- Four metal shelving arms to conveniently hold rolls
- ► Sign Channel to hold product labels (ordered separately)
- ► Powder coat finish: semi-gloss black
- Header Sign Set Conveniently packaged with the display

See page 83 for ordering information



FEATURES

- ▶ Dimensions: 67" H x 16" W x 16" D
- Quality heavy-duty construction, to easily handle SRW Products adhesives
- ► Two Wire Shelves
- ► Bottom Storage Self
- Sign Channel to hold product labels (ordered separately)
- ► Powder coat finish: semi-gloss black
- Header Sign Set Conveniently packaged with the display

See page 83 for ordering information



We have tools available to you 24/7 on SRWProducts.com to aid in getting projects done right. Find tech data sheets, safety data sheets, application charts, expanded application instructions, how-to videos, & more.

We supply marketing collateral such as various flyers, brochures, & application charts. In addition we offer sample sized products, fabric & geogrid cards, all to touch, test, & share with your customers. Contact your Territory Sales Representative or Customer Service to learn more.

We'd love to co-brand with you, contact your Territory Sales Representative for opportunities such as banners, wall graphics, floor graphics, posters, & more.



JOINTING SAND

М		PAGE 8
COLOR	SIZE	QUANTITY
TAN	50 LB BAG	49 BAGS/PLT
GRANITE	50 LB BAG	49 BAGS/PLT
BLACK	50 LB BAG	49 BAGS/PLT
IVORY	50 LB BAG	49 BAGS/PLT
BEIGE	50 LB BAG	49 BAGS/PLT
	COLOR TAN GRANITE BLACK IVORY	TAN 50 LB BAG GRANITE 50 LB BAG BLACK 50 LB BAG IVORY 50 LB BAG

^{*}Region specific, ask Territory Sales Representative for more information

SIMPLYTOUGH™			PAGE 9
PART #	COLOR	SIZE	QUANTITY
SSAN ST TAN	TAN	50 LB BAG	49 BAGS/PLT
SSAN ST GRA	GRANITE	50 LB BAG	49 BAGS/PLT

X-TREME™			PAGE 9
PART #	COLOR	SIZE	QUANTITY
SSAN XTRTAN	TAN	50 LB BAG	49 BAGS/PLT
SSAN XTRGRA	GRANITE	50 LB BAG	49 BAGS/PLT

WETLOK™			PAGE 9
PART #	COLOR	SIZE	QUANTITY
WETLOK TAN 36	TAN	36 LB TUB	65 TUBS/PLT
WETLOK GRA 36	GRANITE	36 LB TUB	65 TUBS/PLT
WETLOK BLK 36	BLACK	36 LB TUB	65 TUBS/PLT
WETLOK PLTM 36	PLATINUM	36 LB TUB	65 TUBS/PLT
WETLOK BEACH 36	BEACH	36 LB TUB	65 TUBS/PLT

EDGING

CRETE-RAIL™		PAGE 12
PART #	SIZE	QUANTITY
CRAIL 50	50 LB BAG	49 BAGS/PLT

UNIVERSAL PAV	ER RAIL™		PAGE 13
PART #	SIZE	AMT PER CTN	QUANTITY
PRAIL UNIV	7´8″	12/BNDL	48 BNDLS/PLT

^{15&#}x27; Universal Paver Rail™ available by special order - pallet quantity only

FLEX PAVER RA	IL™		PAGE 13
PART #	SIZE	AMT PER CTN	QUANTITY
PRAIL EX	7´8″	12/BNDL	48 BNDLS/PLT

LOW PROFILE P	PAGE 13		
PART #	SIZE	AMT PER CTN	QUANTITY
PRAIL UNIVLP	7´8″	12/BNDL	48 BNDLS/PLT

ADHESIVE

VERTICAL INSTA	ANT LOCK™	ADHESIVE	PAGE 14
PART #	SIZE	AMT PER CTN	QUANTITY
AVIL 10	9.5 OZ	12/CTN	140 CTNS/PLT

SUPERIOR STRE SOLVENT-BASED	PAGE 15		
PART #	SIZE	AMT PER CTN	QUANTITY
A 10	10 OZ	12/CTN	64 CTNS/PLT
A 28	28 OZ	12/CTN	44 CTNS/PLT
AP 10* (VOC)	10 OZ	12/CTN	64 CTNS/PLT
AP 28* (VOC)	28 OZ	12/CTN	44 CTNS/PLT

*VOC Compliant

RAPID-SET POL	YURETHANE	E™ ADHESI\	/E PAGE 15
PART #	SIZE	AMT PER CTN	QUANTITY
APU 10	10 OZ	12/CTN	64 CTNS/PLT
APU 28	28 OZ	12/CTN	44 CTNS/PLT

SF-8™ ADHESIVE			PAGE 15
PART #	SIZE	AMT PER CTN	QUANTITY
ASF8	24 OZ	12/CTN	84 CTNS/PLT

PREMIUM CAUL		PAGE 16	
PART #	MODEL #	SIZE	AMT PER CTN
CG00002	250	10 OZ	6/CTN
CG00004	255	28 OZ	6/CTN

STANDARD CAULKING GUN PAGE 1				
PART #	MODEL #	SIZE	AMT PER CTN	
CG00005	101	10 OZ	12/CTN	
CG00006	105	28 OZ	6/CTN	

ECONOMY CAULKING GUN			PAGE 16
PART #	MODEL #	SIZE	AMT PER CTN
CG00001	012	10 OZ	24/CTN
CG00003	035	28 OZ	6/CTN

STANDARD DISE	PAGE 17	
PART # QUANTITY		
SF8G	1/BOX	

PREMIUM DISPENSER GUN PA		
PART #	QUANTITY	
SF8GX	1/BOX	

SF-8™ CLEANER			PAGE 17
PART #	SIZE	AMT PER CTN	QUANTITY
CSF8	16 OZ	12/CTN	84 CTNS/PLT

CLEANERS

PW PAVER WASI	H™		PAGE 19
PART #	SIZE	AMT PER CTN	QUANTITY
SSPW CTN	1 GAL	4/CTN	36 CTNS/PLT
SSPW 5GAL	5 GAL	1	36/PLT

DW DUAL WASH		PAGE 19	
PART #	SIZE	AMT PER CTN	QUANTITY
SSDW CTN	1 GAL	4/CTN	36 CTNS/PLT
SSDW 5GAL	5 GAL	1	36/PLT

EF EFFLORESC	PAGE 19		
PART #	SIZE	AMT PER CTN	QUANTITY
SSE CTN	1 GAL	4/CTN	36 CTNS/PLT
SSE 5GAL	5 GAL	1	36/PLT

M ³ C MOLD, MOS	S, & MILDE	W CLEANER	™ PAGE 20
PART #	SIZE	AMT PER CTN	QUANTITY
SSMC CTN QT4	1 QT	4/CTN	
SSMC CTN GAL4	1 GAL	4/CTN	36/PLT

CDX CLEANER 8	DEGREASER X-T	REME ™ PAGE	21
PART #	SIZE	AMT PER CTN	
SSCDX CTN 4	1 QT	4/CTN	

RE RUST ELIMIN	PAGE 21	
PART #	SIZE	AMT PER CTN
SSRE CTN 4	1 QT	4/CTN

OC ORGANIC STAIN CLEANER™		PAGE 21
PART # SIZE		AMT PER CTN
SSOC 2LB CTN 4	2LBS	4/CTN

XY XYLENE SOLVENT™			PAGE 22
PART #	SIZE	AMT PER CTN	QUANTITY
SSS XY CTN	1 GAL	4/CTN	36 CTNS/PLT
SSS XY 5	5 GAL	1	36/PLT

SS SEALER STR	IPPER™		PAGE 22
PART #	SIZE	AMT PER CTN	QUANTITY
SSS STRIPPER CTN	1 GAL	4/CTN	36 CTNS/PLT
SSS STRIPPER 5	5 GAL	1	36/PLT

SEALERS

PAVER SEAL			
PS PENETRATING [™] PAGE 25			
PART #	SIZE	AMT PER CTN	QUANTITY
SSPSPLUS CTN	1 GAL	4/CTN	36 CTNS/PLT
SSPSPLUS 5 GAL	5 GAL	1	36/PLT

LG LOW GLOSS	ГМ		PAGE 25
PART #	SIZE	AMT PER CTN	QUANTITY
SSPS CTN	1 GAL	4/CTN	36 CTNS/PLT
SSPS 5GAL	5 GAL	1	36/PLT

HG HIGH GLOSS™ PAGE 25				
PART #	SIZE	AMT PER CTN	QUANTITY	
SSPSPRO CTN	1 GAL	4/CTN	36 CTNS/PLT	
SSPSPRO 5GAL	5 GAL	1	36/PLT	

PREMIUM SEAL				
PSX PENETRATING X-TREME™ PAGE 26				
PART #	SIZE	AMT PER CTN	QUANTITY	
SSPC PSX CTN	1 GAL	4/CTN	36 CTNS/PLT	
SSPC PSX 5 GAL	5 GAL	1	36/PLT	

LGX LOW GLOS	S X-TREME"	и	PAGE 26
PART #	SIZE	AMT PER CTN	QUANTITY
SSPC LGX CTN	1 GAL	4/CTN	36 CTNS/PLT
SSPC LGX 5GAL	5 GAL	1	36/PLT
SSPC LGX VOC CTN*	1 GAL	4/CTN	36 CTNS/PLT
SSPC LGX VOC 5GAL*	5 GAL	1	36/PLT

^{*}VOC Compliant

HGX HIGH GLOS	PAGE 26		
PART #	SIZE	AMT PER CTN	QUANTITY
SSPC HGX CTN	1 GAL	4/CTN	36 CTNS/PLT
SSPC HGX 5GAL	5 GAL	1	36/PLT
SSPC HGX VOC CTN*	1 GAL	4/CTN	36 CTNS/PLT
SSPC HGX VOC 5GAL*	5 GAL	1	36/PLT

*VOC Compliant

DG DUAL GUARD™			PAGE 27
PART #	SIZE	AMT PER CTN	QUANTITY
SSDG CTN	1 GAL	4/CTN	36 CTNS/PLT
SSDG 5GAL	5 GAL	1	36/PLT
SSDG VOC CTN*	1 GAL	4/CTN	36 CTNS/PLT
SSDG VOC 5GAL*	5 GAL	1	36/PLT

*VOC Compliant

SPECIALTY SEAL				
PRX PAVER RESTORE X-TREME [™] PAGE 28				
PART #	SIZE	AMT PER CTN	QUANTITY	
SSPC PRX CTN	1 GAL	4/CTN	36 CTNS/PLT	
SSPC PRX 5GAL	5 GAL	1	36/PLT	
SSPC PRX VOC CTN*	1 GAL	4/CTN	36 CTNS/PLT	
SSPC PRX VOC 5GAL*	5 GAL	1	36/PLT	
*VOC Compliant				

SGX STAIN GUARD X-TREME™ P/							
PART #	SIZE	AMT PER CTN	QUANTITY				
SSPC SGX CTN*	1 GAL	4/CTN	36 CTNS/PLT				
SSPC SGX 5GAL*	5 GAI	1	36/PLT				

^{*}While supplies last

JS JOINT STABILIZER™ PAGE 28						
PART #	SIZE	AMT PER CTN	QUANTITY			
SSJS CTN	1 GAL	4/CTN	36 CTNS/PLT			
SSJS 5GAL	5 GAL	1	36/PLT			

CG COUNTER G	PAGE 29	
PART #	SIZE	AMT PER CTN
SSCG CTN QT4	1 QT	4/CTN
*While supplies last		

S-PS PENETRATING™ PAGE 29							
PART #	SIZE	AMT PER CTN	QUANTITY				
STONE S-PS CTN	1 GAL	4/CTN	36 CTNS/PLT				
STONE S-PS 5GAL	5 GAL	1	36/PLT				
STONE S-PS VOC CTN*	1 GAL	4/CTN	36 CTNS/PLT				
STONE S-PS VOC 5GAL*	5 GAL	1	36/PLT				

^{*}VOC Compliant

HEAVY-DUTY CO	INSTRUCTION S	PRAYER PAGE 29
PART #	SIZE	QUANTITY
SSSP SPRAYER GALV	3.5 GAL	1/BOX

SRW SLIT FOAM ROLLER™ PAGE				
PART #	QUANTITY			
SSSFR CTN	13/16" ROLLER	12/CTN		

SRW SLIT FOAM ROLLER X-TREME™ PAGE 3					
PART #	QUANTITY				
SSSFR XTR CTN	1/2" ROLLER	12/CTN			

SR SLIP-RESIST	тм	PAGE 30
PART #	SIZE	QUANTITY
SSSR PG	3.2 OZ BAG	12/CTN

DIAMOND BLADES

GENERAL PURPOSE DIAMOND BLADES (BLUE)								
PART #	SIZE	THICKNESS/ SEG HEIGHT	ARBOR	STYLE	SLOT STYLE	SEGMENT STYLE GUIDE NUMBER	COOLING HOLES	GRADE
BTP 4	4"	.250″/10 MM	7/8″-5/8″	SEG	KEY-HOLE	1	NO	STANDARD
BU 04.5	4.5″	.080″/8 MM	7/8″-5/8″	CONT. TURBO RIM	NONE	8	YES	STANDARD
BU 045 SEG	4.5″	.060″/8 MM	7/8″-5/8″	SEG	KEY-HOLE	1	NO	STANDARD
BU 07	7″	.095″/10 MM	UNIVERSAL	CONT. TURBO RIM	NONE	8	YES	STANDARD
BU 070 SEG	7″	.080″/8 MM	UNIVERSAL	SEG	KEY-HOLE	1	NO	STANDARD
BU 09	9″	.090″/10 MM	5/8″-7/8″	TURBO SEG	KEY-HOLE	6	NO	STANDARD
BGPC 09	9″	.090″/10 MM	5/8″-7/8″	SEG	KEY-HOLE	1	NO	PREMIUM
BU 10	10″	.095″/10 MM	UNIVERSAL	SEG	KEY-HOLE	1	NO	STANDARD
BGPC 10	10″	.095″/10 MM	7/8″-5/8″	SEG	KEY-HOLE	1	NO	PREMIUM
BU 12	12″	.125″/10 MM	1"/20 MM	SEG	KEY-HOLE	1	NO	STANDARD
BGPC 12	12″	.125″/12 MM	1″/20 MM	SEG	KEY-HOLE	1	NO	PREMIUM
BU 14	14″	.125″/10 MM	1"/20 MM	SEG	KEY-HOLE	1	NO	STANDARD
BGPC 14	14"	.125″/12 MM	1"/20 MM	SEG	WIDE KEY- HOLE	1	NO	PREMIUM
BGPZ 14	14″	.125″/15 MM	1"/20 MM	ALT TURBO SEG	KEY-HOLE	3	YES	PREMIUM
BGPX 14	14"	.125″/15 MM	1"/20 MM	TURBO/CROWN	NARROW U-SLOT	7	YES	PREMIUM
BGPQ 165	16.5″	.125″/12 MM		ALT TURBO SEG	NARROW U-SLOT	7	NO	PREMIUM

ALL PURPOSE D	DIAMO	ND BLADES	(RED)					PAGE 34
PART #	SIZE	THICKNESS/ SEG HEIGHT	ARBOR	STYLE	SLOT STYLE	SEGMENT STYLE GUIDE NUMBER	COOLING HOLES	GRADE
BVAP 14	14"	.125″/13 MM	1″/20 MM	ALT TURBO SEG	ANGLED U-SLOT	5	YES	STANDARD
BPAP 14	14"	.125″/13 MM	1″/20 MM	ANGLED ALT TURBO SEG	ANGLED KEY-HOLE	4	YES	PREMIUM

ABRASIVE MATE	RIAL	DIAMOND B	LADES (G	REEN)				PAGE 34
PART #	SIZE	THICKNESS/ SEG HEIGHT	ARBOR	STYLE	SLOT STYLE	SEGMENT STYLE GUIDE NUMBER	COOLING HOLES	GRADE
BAMA 14	14″	.125″/10 MM	1"/20 MM	ALT DROP SEG	U-SLOT	2	NO	PREMIUM

HARD MATERIAL DIAMOND BLADES (YELLOW)							PAGE 35	
PART #	SIZE	THICKNESS/ SEG HEIGHT	ARBOR	STYLE	SLOT STYLE	SEGMENT STYLE GUIDE NUMBER	COOLING HOLES	GRADE
BPPB 4.5	4.5″	.050″/10 MM	7/8″-5/8″	CONT TURBO RIM	NONE	8	YES	PREMIUM
BPPC 12	12″	.125″/12 MM	1"/20 MM	SEG TURBO	KEY-HOLE	6	YES	STANDARD
BPPB 14	14″	.087″/10 MM	1″	CONT TURBO RIM	NONE	8	YES	PREMIUM
BPPC 14	14"	.125″/12 MM	1"/20 MM	SEG TURBO	KEY-HOLE	6	NO	STANDARD
BUSA HM 14	14″	.125″/12 MM	1"/20 MM	ALT TURBO SEG	KEY-HOLE	3	NO	PREMIUM

BPPB blades are the only hard material blades designed to cut porcelain

SINGLE TURBO CUP WHEEL PAGE 35							
PART #	STYLE	GRADE					
BCW 4.5 ST	4.5″	5/8″-11	SINGLE	STANDARD			
BCW 4.5 S1	4.5	THREADED	TURBO	STAINDAND			

DOUBLE TURBO CUP WHEEL PAGE 35							
PART #	SIZE	ARBOR	STYLE	GRADE			
BCW 4.5 DT	4.5″	5/8 ["] -11 THREADED	DOUBLE TURBO	STANDARD			

FABRICS

GENERAL LANDSCAPE						
SB2			PAGE 37			
20 YEAR • 300´RC	OLL COLOR C	ODING GREE	V			
PART #	SIZE	SQ YDS/ROLL	QUANTITY			
FSB2 03025*	3´x25´	8.33	62/CTN			
FSB2 03050	3´x50´	16.67	34/CTN			
FSB2 03100	3′x100′	33.33	18/CTN			
FSB2 03300	3´x300´	100.00	42/PLT			
FSB2 04025*	4´x25´	11.11	62/CTN			
FSB2 04050	4´x50´	22.22	34/CTN			
FSB2 04100	4′x100′	44.44	18/CTN			
FSB2 04300	4 ´x300 ´	133.33	42/PLT			
FSB2 06100	6′x100′	66.67	30/PLT			
FSB2 06300	6′x300′	200.00	30/PLT			
FSB2 12300	12´x300´	400.00	4/BNDL			

*Made to order

SB3			PAGE 37			
30 YEAR • 300 ROLL COLOR CODING YELLOW						
PART #	SIZE	SQ YDS/ROLL	QUANTITY			
FSB3 03025*	3´x25´	8.33	45/CTN			
FSB3 03050	3´x50´	16.67	24/CTN			
FSB3 03100	3′x100′	33.33	12/CTN			
FSB3 03300	3´x300´	100.00	30/PLT			
FSB3 04025*	4´x25´	11.11	45/CTN			
FSB3 04050	4´x50´	22.22	24/CTN			
FSB3 04100	4′x100′	44.44	12/CTN			
FSB3 04300	4´x300´	133.33	30/PLT			
FSB3 06100	6′x100′	66.67	32/PLT			
FSB3 06300	6′x300′	200.00	30/PLT			
FSB3 08300	8′x300′	266.67	4/BNDL			
FSB3 12300	12´x300´	400.00	4/BNDL			

Fabrics continued on next page

SILVER*			PAGE 37			
20 YEAR • 300 ROLL COLOR CODING BLACK						
PART #	SIZE	SQ YDS/ROLL	QUANTITY			
FSSBS 03050	3´x50´	16.67	34/CTN			
FSSBS 03100	3′x100′	33.33	18/CTN			
FSSBS 03300	3´x300´	100.00	42/PLT			
FSSBS 04050	4´x50´	22.22	34/CTN			
FSSBS 04100	4 ′x100 ′	44.44	18/CTN			
FSSBS 04300	4´x300´	133.33	42/PLT			
FSSBS 06100	6′x100′	66.67	30/PLT			
FSSBS 06300	6′x300′	200.00	30/PLT			

*Region specific, ask Territory Sales Representative for more information

SILVER ELITE 30 YEAR			PAGE 37
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FSSBE 03050	3´x50´	16.67	22/CTN
FSSBE 03100	3′x100′	33.33	10/CTN
FSSBE 03300	3´x300´	100.00	30/PLT
FSSBE 04050	4´x50´	22.22	22/CTN
FSSBE 04100	4´x100´	44.44	10/CTN
FSSBE 04300	4´x300´	133.33	30/PLT
FSSBE 06100	6′x100′	66.67	32/PLT
FSSBE 06300	6′x300′	200.00	30/PLT
FSSBE 09300	9′x300′	300.00	4/BNDL
FSSBE 12300	12´x300´	400.00	4/BNDL
FSSBE 15300	15´x300´	500.00	4/BNDL

DON'T SEE WHAT YOU NEED? SIMPLY ASK.

We're here to help! Call us at 800.752.9326

WEED CONTROL						
PS1.5 PAGE 37 15 YEAR						
PART #	SIZE	SQ YDS/ROLL	QUANTITY			
FPS1.5 03050	3´x50´	16.67	26/CTN			
FPS1.5 03100	3′x100′	33.33	14/CTN			
FPS1.5 03300	3´x300´	100.00	42/PLT			

PS2			PAGE 37			
20 YEAR • 300 ROLL COLOR CODING WHITE						
PART #	SIZE	SQ YDS/ROLL	QUANTITY			
FPS2 03050	3´x50´	16.67	23/CTN			
FPS2 03100	3′x100′	33.33	12/CTN			
FPS2 03300	3´x300´	100.00	30/PLT			
FPS2 04050	4´x50´	22.22	23/CTN			
FPS2 04100	4′x100′	44.44	12/CTN			
FPS2 04300	4´x300´	133.33	30/PLT			
FPS2 06100	6′x100′	66.67	32/PLT			
FPS2 06300	6′x300′	200.00	20/PLT			
FPS2 08300	8′x300′	266.67	4/BNDL			

PREMIUM LANDSCAPE

PRO PLUS IV™	PAGE 37						
250 ROLL COLOR CODING ORANGE							
PART #	SIZE	SQ YDS/ROLL	QUANTITY				
FPP1V 03025*	3´x25´	8.33	34/CTN				
FPP1V 03050	3´x50´	16.67	15/CTN				
FPP1V 03100	3′x100′	33.33	8/CTN				
FPP1V 03250	3′x250′	83.33	20/PLT				
FPP1V 04050	4´x50´	22.22	15/CTN				
FPP1V 04100	4′x100′	44.44	8/CTN				
FPP1V 04250	4´x250´	111.11	20/PLT				
FPP1V 06100	6′x100′	66.67	35/PLT				
FPP1V 06250	6´x250´	166.67	20/PLT				
FPP1V 12250	12´x250´	333.33	4/BNDL				
*Made to order							

PRO PLUS V™			PAGE 37				
250 ROLL COLOR CODING BLUE							
PART #	SIZE	SQ YDS/ROLL	QUANTITY				
FPPV 03250	3´x250´	83.33	20/PLT				
FPPV 04250	4´x250´	111.11	20/PLT				
FPPV 05250	5´x250´	138.89	20/PLT				
FPPV 06250	6´x250´	166.67	20/PLT				
FPPV 08250F*	8´x250´	222.22	9/PLT-4/BNDL				
FPPV 08250	8′x250′	222.22	4/BNDL				
FPPV 12250	12´x250´	333.33	4/BNDL				
FPPV 12250F*	12´x250´	333.33	4/BNDL				

^{*}Folded Fabric Rolls

PS3			PAGE 37
30 YEAR • 300´ RO			
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FPS3 03050	3´x50´	16.67	18/CTN
FPS3 03100	3′x100′	33.33	9/CTN
FPS3 03300	3´x300´	100.00	30/PLT
FPS3 04050	4´x50´	22.22	18/CTN
FPS3 04100	4´x100´	44.44	9/CTN
FPS3 04300	4´x300´	133.33	30/PLT
FPS3 06100	6′x100′	66.67	35/PLT
FPS3 06300	6 ´x300 ´	200.00	20/PLT
FPS3 08300	8 'x300 '	266.67	4/BNDL
FPS3 12300	12′x300′	400.00	4/BNDL

GROUND COVER				
GC3™			PAGE 38	
PART #	SIZE	SQ YDS/ROLL	QUANTITY	
FGC3 03050	3´x50´	16.67	30/CTN	
FGC3 03100	3′x100′	33.33	15/CTN	
FGC3 03300	3´x300´	100.00	42/PLT	
FGC3 04300	4´x300´	133.33	42/PLT	
FGC3 06100	6′x100′	66.67	30/PLT	
FGC3 06300	6´x300´	200.00	30/PLT	
FGC3 10300	10′x300′	333.33	3/BNDL	
FGC3 12300	12′x300′	400.00	3/BNDL	
FGC3 12300F*	12′x300′	400.00	4/BNDL	
FGC3 15300	15´x300´	500.00	3/BNDL	
*Folded Fabric Rolls				

GC PRO™			PAGE 38
300 ROLL COLOR	CODING PUR	PLE	
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FGCPRO 03300	3´x300´	100.00	30/PLT
FGCPRO 04300	4´x300´	133.33	30/PLT
FGCPRO 06300	6´x300´	200.00	30/PLT
FGCPRO 06500*	6´x500´	333.33	20/PLT
FGCPRO 10300	10´x300´	333.33	3/BNDL
FGCPRO 12300	12′x300′	400.00	3/BNDL
FGCPRO 155300	15.5´x300´	516.67	3/BNDL

*Made to order

NON-WOVEN					
LS3™ PAGE 39 GENERAL LANDSCAPE & FILTRATION FABRIC					
PART #	SIZE	SQ YDS/ROLL	QUANTITY		
FLS3 03025*	3´x25´	8.33	42/CTN		
FLS3 03050	3′x50′	16.67	20/CTN		
FLS3 03100	3′x100′	33.33	80/PLT		
FLS3 03300	3´x300´	100.00	30/PLT		
FLS3 04050	4´x50´	22.22	20/CTN		
FLS3 04100	4′x100′	44.44	80/PLT		
FLS3 04300	4 ´x300 ´	133.33	30/PLT		
FLS3 06100	6′x100′	66.67	48/PLT		
FLS3 06300	6´x300´	200.00	30/PLT		
FLS3 09300	9´x300´	300.00	3/BNDL		
FLS3 12300	12′x300′	400.00	3/BNDL		

^{*}Made to order

NW4 DRAINAGE & FILTRA	PAGE 39		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FNW4 03100	3′x100′	33.33	42/ PLT
FNW4 03300	3´x300´	100.00	16/PLT
FNW4 04100	4′x100′	44.44	42/ PLT
FNW4 04300	4´x300´	133.33	16/PLT
FNW4 06100	6′x100′	66.67	24/PLT
FNW4 06300	6′x300′	200.00	12/PLT
FCNW4 125360	12.5´x360´	500.00	3/BNDL
FCNW4 15360	15´x360´	600.00	3/BNDL

NW4.5			PAGE 39		
DRAINAGE & FILTRATION FABRIC					
PART #	SIZE	SQ YDS/ROLL	QUANTITY		
FNW4.5 03100	3′x100′	33.33	42/ PLT		
FNW4.5 03300	3´x300´	100.00	16/PLT		
FNW4.5 04050	4´x50´	22.22	9/CTN		
FNW4.5 04100	4′x100′	44.44	42/ PLT		
FNW4.5 04300	4 ´x300 ´	133.33	16/PLT		
FNW4.5 06100	6′x100′	66.67	24/PLT		
FNW4.5 06300	6´x300´	200.00	12/PLT		
FCNW4.5 125360	12.5´x360´	500.00	3/BNDL		
FCNW4.5 15360	15´x360´	600.00	3/BNDL		

NW6 DRAINAGE & FILTRA	PAGE 39		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FNW6 06300	6´x300´	200.00	9/PLT
FCNW6 10100*	10′x100′	111.11	6/BNDL
FCNW6 10300*	10′x300′	333.33	3/BNDL
FCNW6 125360	12.5´x360´	500.00	3/BNDL
FCNW6 15300	15´x300´	500.00	3/BNDL

STABILIZATION/SEPARATION

*While supplies last

*Folded Fabric Rolls

SS5			PAGE 40		
200 LB • WOVEN SLIT FILM					
PART #	SIZE	SQ YDS/ROLL	QUANTITY		
FSS5 04050	4´x50´	22.22	20/CTN		
FSS5 04100	4′x100′	44.44	11/CTN		
FSS5 06050	6´x50´	33.33	1		
FSS5 06100	6′x100′	66.67	20/BNDL- 80/PLT		
FSS5 06300	6′x300′	200.00	16/PLT		
FSS5 125027*	12.5´x27´	37.50	8/CTN		
FSS5 125054*	12.5´x54´	75.00	30/PLT		
FSS5 125108*	12.5′x108′	150.00	20/PLT		
FCSS5 125432	12.5´x432´	600.00	3/BNDL		
FCSS5 15360	15´x360´	600.00	3/BNDL		
FSS5 1750515*	17.5´x51.5´	100.00	20/PLT		
FSS5 175103*	17.5´x103´	200.00	16/PLT		
FCSS5 175309	17.5´x309´	600.00	3/BNDL		

PERMEABLE 350 350 LB • MONOFIL	PAGE 41		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FPE350 0625100	6.25´x100´	69.44	30/PLT
FPE350 0625300	6.25´x300´	208.33	20/PLT
FPE350 125300	12.5 'x300 '	416.67	3/BNDL

NW7			PAGE 42
HEAVY DUTY EROS	ION CONTROL	NON-WOVE	٧
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCNW7 15300	15´x300´	500.00	3/BNDL
ECO™			DACE 20
EC8™			PAGE 39
EC8 [™] HEAVY DUTY EROS	ION CONTROL	. NON-WOVEI	
	ION CONTROL SIZE	_ <i>NON-WOVEI</i> SQ YDS/ROLL	V
HEAVY DUTY EROS			V

NW10 • SPECIAL DRAINAGE & FILTRA	PAGE 42		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCNW10 125360	12.5´x360´	500.00	3/BNDL
FCNW10 15300	15´x300´	500.00	3/BNDL

500.00

500.00

3/BNDL

3/BNDL

12.5´x360

15´x300´

Special Order: Large roll sizes are not in stock & will direct ship

FCEC8 125360

FCEC8 15300

NW12 • SPECIAL HEAVY DUTY NON-	- 0		PAGE 42
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCNW12 125360	12.5´x360´	500.00	1
FCNW12 15300	15´x300´	500.00	1

Special Order: Large roll sizes are not in stock & will direct ship

NW16 • SPECIAL HEAVY DUTY NON-			PAGE 42
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCNW16 125360	12.5´x360´	500.00	1
FCNW16 15150	15´x150´	250.00	1
FCNW16 15300	15´x300´	500.00	1

Special Order: Large roll sizes are not in stock & will direct ship

SS6			PAGE 42
315 LB. • WOVEN S	SLIT FILM		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCSS6 125360	12.5´x360´	500.00	3/BNDL
FCSS6 15300	15´x300´	500.00	3/BNDL
FCSS6 175258	17.5´x258´	500.00	3/BNDL

	SRW 270HP™ • SPECIAL ORDER HIGH STRENGTH WOVEN				
PART #	SIZE	SQ YDS/ROLL	QUANTITY		
FC270HP 15300	FC270HP 15300 15 x300 500.00				

Special Order: Large roll sizes are not in stock & will direct ship

SRW 370HP™ • SPECIAL ORDER HIGH STRENGTH WOVEN			PAGE 42
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FC370HP 15300	15´x300´	500.00	3/BNDL

Special Order: Large roll sizes are not in stock & will direct ship

SRW 570HP ™• SPECIAL ORDER HIGH STRENGTH WOVEN			PAGE 42
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FC570HP 15300	15´x300´	500.00	3/BNDL

Special Order: Large roll sizes are not in stock & will direct ship

SRW MM402™ • MONOFILAMENT	SPECIAL OF	PAGE 42	
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FC402MM 12300	12´x300´	400.00	3/BNDL

Special Order: Large roll sizes are not in stock & will direct ship

SRW MM403™ • MONOFILAMENT	SPECIAL OR	PAGE 42	
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FC403MM 15300	15´x300´	500.00	3/BNDL

Special Order: Large roll sizes are not in stock & will direct ship

SRW MM700 [™] • MONOFILAMENT	M700™ • SPECIAL ORDER LAMENT		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FC700MM 12300	12´x300´	400.00	3/BNDL

Special Order: Large roll sizes are not in stock & will direct ship

GEOGRID

RETAINING WALL				
UNIVERSAL PAGE 45				
BI-DIRECTIONAL • LTDS 688 • WALLS UP TO 6				
PART #	SIZE	SQ YDS/ROLL	QUANTITY	
GSRW U350	3´x50´	16.67	10/CTN	
GSRW U450	4´x50´	22.22	10/CTN	
GSRW U650	6´x50´	33.33	40/PLT	

3 SERIES			PAGE 45
BI-DIRECTIONAL • I	LTDS 1161 • V	VALLS UP TO	10
PART #	SIZE	SQ YDS/ROLL	QUANTITY
GSRW 3450	4´x50´	22.22	9/CTN
GSRW 365	6´x50´	33.33	80/PLT
GSRW 3615	6´x150´	100.00	30/PLT
GSRW 31215	12´x150´	200.00	3/BNDL

5 SERIES UNI-DIRECTIONAL	• LTDS 2064		PAGE 45
PART #	SIZE	SQ YDS/ROLL	QUANTITY
GSRW 565	6´x50´	33.33	50/PLT
GSRW 5615	6 x150 °	100.00	30/PLT
GSRW 51215	12´x150´	200.00	3/BNDL

7 SERIES UNI-DIRECTIONAL	• LTDS 2867		PAGE 45
PART #	SIZE	SQ YDS/ROLL	QUANTITY
GSRW 7615	6´x150´	100.00	20/PLT
GSRW 71215	12´x150´	200.00	3/BNDL

8 SERIES • SPE	PAGE 45		
UNI-DIRECTIONAL	• LTDS 3555		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
GSRW 8615*	6´x150´	100.00	20/PLT
GSRW 81215	12 [°] x150 [°]	200.00	3/BNDL

^{*}Available by pallet quantity only

Special Order: Large roll sizes are not in stock & will direct ship

9 SERIES • SPE	PAGE 45				
UNI-DIRECTIONAL • LTDS 4329					
PART #	SIZE	SQ YDS/ROLL	QUANTITY		
GSRW 9615*	6´x150´	100.00	20/PLT		
GSRW 91215	12 [°] x150 [°]	200.00	3/BNDL		

^{*}Available by pallet quantity only

Special Order: Large roll sizes are not in stock & will direct ship

10 SERIES • SP.	PAGE 45				
UNI-DIRECTIONAL					
PART #	SIZE	SQ YDS/ROLL	QUANTITY		
GSRW 10615*	6´x150´	100.00	20/PLT		
GSRW 101215	12´x150´	200.00	3/BNDL		

^{*}Available by pallet quantity only

Special Order: Large roll sizes are not in stock & will direct ship

11 SERIES • SPECIAL ORDER UNI-DIRECTIONAL • LTDS 5906			PAGE 45
PART #	SIZE	SQ YDS/ROLL	QUANTITY
GSRW 11615*	6´x150´	100.00	20/PLT
GSRW 111215	12´x150´	200.00	3/BNDL

^{*}Available by pallet quantity only

GSRW TYPE1 129246

Special Order: Large roll sizes are not in stock & will direct ship

12.9 x246

RUAU BASE				
TYPE 1			PAGE 46	
PART #	SIZE	SQ YDS/ROLL	QUANTITY	

352.60

1

TYPE 2			PAGE 46
PART #	SIZE	SQ YDS/ROLL	QUANTITY
GSRW TYPE2 129164	12.9 x164	235.07	1

3D GRID T • SPECIAL ORDER			PAGE 46
PART #	SIZE	SQ YDS/ROLL	QUANTITY
G3DT 129246	12.9 x246 ´	352.60	1

Special Order: Large roll sizes are not in stock & will direct ship

3D GRID HT • SPECIAL ORDER			PAGE 46
PART #	SIZE	SQ YDS/ROLL	QUANTITY
G3DHT 129246	12.9 x246 °	352.60	1

Special Order: Large roll sizes are not in stock & will direct ship

3D GRID XL • S	PAGE 46		
PART #	SIZE	SQ YDS/ROLL	QUANTITY
G3DXL 129164	12.9 x164	235.07	1

Special Order: Large roll sizes are not in stock & will direct ship

WALL SYSTEMS & ENGINEERING

WALL DRAIN PR	PAGE 48		
PART #	SIZE	AMT PER CTN	QUANTITY
WDP-BLACK	1.375" x 14.25" x 7.75"	12/CTN	63 CTNS/PLT
WDP-TAN	1.375" x 14.25" x 7.75"	12/CTN	63 CTNS/PLT
WDP-GRAY	1.375" x 14.25" x 7.75"	12/CTN	63 CTNS/PLT
WDP-46" NECK	46"	1	-

AMERICAN WICK DRAIN • SPECIAL ORDI	ER I	PAGE 49
Call for product offering & quote		

HTS PROS GUIDE				
ALLAN BLOCK® WALL SYSTEMS		PAGE 51		
BLOCK SYSTEM	PART #	QUANTITY		
AB® Collection	HTS AB COLLECT RET	10 BOOKS/BOX		
AB® Europa Collection	HTS AB EUROPA RET	10 BOOKS/BOX		

ANCHOR™ RETAINING WALL SYSTEMS PAGE 51				
BLOCK SYSTEM	PART #	QUA	NTITY	
Diamond	HTS DIA RET	10 BOO	OKS/BOX	
Diamond Pro/Stone Cut	HTS DIPRO RET	10 BOO	OKS/BOX	
Highland	HTS HIGH RET	10 BOC	OKS/BOX	
Windsor	HTS WINDSOR RET	10 BOC	OKS/BOX	

BORGERT PRODUCTS		PAGE 51
BLOCK SYSTEM	PART #	QUANTITY
PanoMur®	HTS PANO RET	10 BOOKS/BOX

CAMBRIDGE PAVERS		PAGE 51
BLOCK SYSTEM	PART #	QUANTITY
Cambridge Sigma 6 [™]	HTS CAMB SIGMA6 RET	10 BOOKS/BOX
Cambridge Sigma 8™	HTS CAMB SIGMA8 RET	10 BOOKS/BOX

CORNERSTONE® RETAINING WALL SYSTEMS				
BLOCK SYSTEM	PART #	QUANTITY		
CornerStone 100	HTS CS 100 RET	10 BOOKS/BOX		
FrogStone	HTS FROG RET	10 BOOKS/BOX		
MagnumStone	HTS MAGNU RET	10 BOOKS/BOX		
StoneLedge	HTS STLED RET	10 BOOKS/BOX		
Mirastone	HS MIRA RET	10 BOOKS/BOX		
COUNTY MATERIALS		PAGE 51		
BLOCK SYSTEM	PART #	QUANTITY		
County Block™	HTS CNTY BLOCK RET	10 BOOKS/BOX		
County Tribute [™]	HTS CNTY TRIBUTE RET	10 BOOKS/BOX		
County Rib Rock	HTS CNTY RIBROCK RET	10 BOOKS/BOX		
County Integrity [™]	HTS CNTY INTEGRITY RET	10 BOOKS/BOX		

Wall Systems & Engineering continued on next page

EARTHWORKS™		PAGE 49
PART #	SIZE	QUANTITY
EAR8/EAR12	8" & 12"	250/CTN
EAR10/EAR12-8	10" & TRANSITION	250/CTN
EAR COR	CORNER SPACERS	100/CTN

SLEEVE-IT® SD1			PAGE 49
PART #	SIZE	AMT PER CTN	QUANTITY
GSRW SLEEVIT SD1	15.3" x 30.6" x 23.4"	5/BNDL	9 BNDL/PLT

D	DAGISTINO PRODUCTS		PAGE 51
	BLOCK SYSTEM	PART #	QUANTITY
	Dagblock	HTS DAGBLOCK RET	10 BOOKS/BOX
	County Tribute [™]	HTS CNTY TRIBUTE RET	10 BOOKS/BOX

EARTHWORKS™		PAGE 51
BLOCK SYSTEM	PART #	QUANTITY
8″	HTS EAR8 RET	10 BOOKS/BOX
12"	HTS EAR12 RET	10 BOOKS/BOX

ICD® RETAINING	PAGE 51	
BLOCK SYSTEM	PART #	QUANTITY
Stonewall Select	HTS ICD STNEWLL RET	10 BOOKS/BOX

KEYSTONE® RE	TAINING WALL S	YSTEMS PAGE 51
BLOCK SYSTEM	PART #	QUANTITY
Compac	HTS KS COMPAC RET	10 BOOKS/BOX
Country Manor	HTS KS CT MANOR RET	10 BOOKS/BOX
Verazzo	HTS KS VERAZZO RET	10 BOOKS/BOX

LEHI BLOCK INCORPORATED		PAGE 51
BLOCK SYSTEM	PART #	QUANTITY
ArtStone	HTS ARTSTONE RET	10 BOOKS/BOX

PYZIQUE® RETAINING WALL SYSTEMS PAGE 51			
BLOCK SYSTEM	PART #	QUAI	VTITY
Maytrx	HTS MAYTRX RET	10 BOO	KS/BOX

RISISTONE INC. WALL SYSTEMS	PAGE 51	
BLOCK SYSTEM	PART #	QUANTITY
Pisa2®/RomanPisa®	HTS PISA RET	10 BOOKS/BOX

TECHO-BLOC		PAGE 51
BLOCK SYSTEM	PART #	QUANTITY
Mini-Creta	HTS MINI-CRETA RET	10 BOOKS/BOX
Monumental	HTS MONUMENTAL RET	10 BOOKS/BOX

VERSA-LOK® RE WALL SYSTEMS	PAGE 51	
BLOCK SYSTEM	PART #	QUANTITY
Standard	HTS VLSTD RET	10 BOOKS/BOX
Mosaic	HTS MOSAIC RET	10 BOOKS/BOX
Square Foot	HTS VLSQFT RET	10 BOOKS/BOX

VYKING® RETAINING WALL SYSTEMS PAGE 51			
BLOCK SYSTEM PART # QUANTITY			
Vyking	HTS VYK RET	10 BO	OKS/BOX

WESTBLOCK® RETAINING WALL SYSTEMS PAGE 5				
BLOCK SYSTEM	PART #	QUANTITY		
Stonewall	HTS WBSTNEWALL RET	10 BOOKS/BOX		

WORLD BLOCK WALL SYSTEMS	PAGE 51	
BLOCK SYSTEM	PART #	QUANTITY
Knob-Style	HTS WBKNOB RET	10 BOOKS/BOX
Landscape	HTS WBLANDSCAPE RET	10 BOOKS/BOX
Mid-Sized	HTS WBMID RET	10 BOOKS/BOX
V-Interlock	HTS WBVINTERLOCK RET	10 BOOKS/BOX

TURF ACCESSORIES

TURF NAILS		PAGE 53
PART #	SIZE	AMT PER CTN
FCMST 05-50#	5" SMOOTH	50 LBS/CTN
FCMST 06-50# SS	6" SPIRAL	50 LBS/CTN
GALV	GALVANIZED	

SEAMS RIGHT T	PAGE 53	
PART #	SIZE	AMT PER CTN
FST 06100	6″X100′	8/CTN
FST 12050	12″X50´	4/CTN
FST 12100	12"X100"	4/CTN

SEAMS RIGHT TURF ADHESIVE		PAGE 53
PART #	SIZE	AMT PER CTN
ATURF 28	28 OZ	12/CTN
ATURF 1GAL	1 GAL	1

BASE REPLACEMENT

HEXABASE™			PAGE 55
PART #	AMT PER CTN	TOTAL SQ FT	QUANTITY
GSRW HB CTN	6/CTN	16.15	16 CTNS/PLT
GSRW HB BULK*	1	452.20	168 PCS/PLT
*Bulk HexaBase [™] availabl	e by pallet quantiti	es only	

ULTRA DRIVE 3D™			PAGE 57
PART #	SIZE	TOTAL SQ FT	QUANTITY
GSRW UD3D 65150	6.5´X150´	108.33	12/PLT
GSRW UD3D 125150	12.5 X150 ´	208.33	1

EROSION CONTROL & IRRIGATION

STRAW BLANKETS* SINGLE & DOUBLE SIDED			PAGE 58
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCMB STSINGLE 4	4´X50´	22.22	40/PLT
FCMB STSINGLE 4 CTN	4´X50´	22.22	9/CTN (4CTN/ PLT)
FCMB STSINGLE	8 X112.5	100.00	25/PLT
FCMB STDOUBLE	8´X112.5´	100.00	25/PLT

^{*} Pallet quantities may vary

EXCELSIOR BLANKET			PAGE 59
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCMB EXCEL D81125	8´X112.5´	100.00	25/PLT

CS-3*			PAGE 59
COCONUT/STRAW	BLANKETS • I	DOUBLE SIDE	ED .
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCMB CS81125	8 X112.5	100.00	25/PLT
1.5 11.1			

* Pallet quantities may vary

CC-4*			PAGE 59
COCONUT BLANKE	TS • 100% C	OCONUT	
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCMB CO81125	8´X112.5´	100.00	25/PLT

^{*} Pallet quantities may vary

	PP5-10* <i>TURF REINFORCEM</i>	IENT MAT		PAGE 59
	PART #	SIZE	SQ YDS/ROLL	QUANTITY
ĺ	FCMB TRM 81125	8 X112.5	100.00	16/PLT

^{*} Pallet quantities may vary

STRAW WATTLE	S*	PAGE 60
PART #	SIZE	QUANTITY
FCMWS 0925	9″X25´	12/PLT
FCMWS 1220	12 ["] X20 [']	8/PLT

^{*} Pallet quantities may vary

SILT SOCK		PAGE 60
PART #	SIZE	QUANTITY
FCMSS 0820 BLK	8″x20′	8/PLT

GROW BAGS		PAGE 60
PART #	SIZE	AMT PER CTN
GROW BAG 5G	5 GAL	36/CTN
GROW BAG 10G	10 GAL	36/CTN
GROW BAG 15G	15 GAL	36/CTN
GROW BAG 20G	20 GAL	36/CTN

TREE WATERING	G BAGS		PAGE 61
PART #	SIZE	AMT PER CTN	QUANTITY
TREE BAG 20G CTN 36	20 GAL	36/CTN	35/PLT

TREE WATERING	RINGS		PAGE 61
PART #	SIZE	AMT PER CTN	QUANTITY
TREE RING 15G CTN 24	15 GAL	24/CTN	42/PLT

SILT FENCE • BLACK 70G • 1.25 "X1.25 "X42" STAKES			PAGE 61
PART #	SIZE	STAKES/ROLL	QUANTITY
FCMF S03100	3´x100´	13 STAKES	48/PLT
FCMF S0310026	3´x100´	26 STAKES	20/PLT
FCMF S031500	3´x1500´	FABRIC ONLY	9/PLT

SILT FENCE • 0 70G • 1.25"X1.25"			PAGE 61
PART #	SIZE	STAKES/ROLL	QUANTITY
FCMFO S03100	3´x100´	13 STAKES	48/PLT
FCMFO S031500	3´x1500´	FABRIC ONLY	9/PLT

SILT FENCE STAKES			PAGE 61
MUST BE PURCHAS			
PART #	SIZE	STAKES/ROLL	QUANTITY
FCMF STAKE 42 1 1/4	42″x1.25″	STAKES ONLY	840/PLT
FCMF STAKE 48	48″x1.5″	STAKES ONLY	25/BNDL- 650/PLT

DF1.5™ 300´ ROLL COLOR CODING RED			PAGE 62
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FD1.5 03300	3´x300´	100.00	42/PLT
FD1.5 04300	4´x300´	133.33	42/PLT
FD1.5 05300	5 x300 ´	166.67	36/PLT
FD1.5 06300	6´x300´	200.00	36/PLT
FD1.5 12300	12´x300´	400.00	4/BNDL

DF2 ™			PAGE 62
300 ROLL COLOR	CODING GRE	EN	
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FD2 03300	3´x300´	100.00	42/PLT
FD2 04300	4´x300´	133.33	42/PLT
FD2 06300	6´x300´	200.00	36/PLT
FD2 12300	12´x300´	400.00	4/BNDL

JUTE MESH			PAGE 62
PART #	SIZE	SQ YDS/ROLL	QUANTITY
FCMB JUTE15 48225	4 x225 ´	100.00	12/PLT

ROCK LOG		PAGE 62
PART #	SIZE	QUANTITY
FCMBR 7"4'	7″x4′	5/CTN

DANDY CURB SACK®		PAGE 63
PART #	SIZE	QUANTITY
DCS 24 24	24″x24″	5/CTN
DCS 30 12	30″x12″	5/CTN
DCS 36 24	36″x24″	5/CTN

DANDY CURB BAG®		PAGE 63
PART #	SIZE	QUANTITY
DCB 36 24	36″x24″	5/CTN

DANDY SACK®		PAGE 63
PART #	SIZE	QUANTITY
DS 24 24	24″x24″	5/CTN
DS 36 24	36″x24″	5/CTN
DS 48 24	48″x24″	5/CTN

DANDY BAG®		PAGE 63
PART #	SIZE	QUANTITY
DB RD 24	24" ROUND	5/CTN
DB 24 24	24″x24″	5/CTN
DB 36 24	36″x24″	5/CTN
DB 36 36	36″x36″	5/CTN

DANDY DEWATERING BAG®		PAGE 63
PART #	SIZE	QUANTITY
DDB 6 6	6´x6´	1
DDB 10 10	10´x10´	1

ACCESSORIES

SRW PATH STABILIZER™			PAGE 64
PART #	SIZE	AMT PER CTN	QUANTITY
TAC PATH 5GAL	5 GAL	1	36/PLT

MULCH STABILIZER™			PAGE 65
PART #	SIZE	AMT PER CTN	QUANTITY
TAC MULCH CTN	1 GAL	4/CTN	36 CTNS/PLT
TAC MULCH 5GAL	5 GAL	1	36/PLT

PIN POUNDER		PAGE 65
PART #	LENGTH	QUANTITY
FCMST 6-RT POUND	39″	1/BOX

STAPLE SETTER	PAGE 65	
PART #	LENGTH	QUANTITY
FCMST STAPLE SETTER	42″	1/BOX

_	KES K CARTON			PAGE 66
	PART #	SIZE	AMT PER CTN	QUANTITY
Α	FCMST 12-50#	12" SMOOTH	50 LBS/CTN	48 CTNS/PLT
В	FCMST 10-50#	10" SMOOTH	50 LBS/CTN	48 CTNS/PLT
С	FCMST 10-50#SS	10" SPIRAL	50 LBS/CTN	48 CTNS/PLT
D	FCMST 10-50# GALV	10" GALVANIZED	50 LBS/CTN	48 CTNS/PLT

*Counts vary by weight. Letters reference staple style on page 66

	LANDSCAPE STAPLES BOXED •11 GAUGE			PAGE 66
	PART #	SIZE	AMT PER CTN	QUANTITY
F	FCMST D100	6 <i>″</i>	100/BOX*	12 BOX/CTN

*Counts vary by weight. Letters reference staple style on page 66

LANDSCAPE STAPLES BAGGED •11 GAUGE				PAGE 66
	PART #	SIZE	AMT PER CTN	QUANTITY
F	FCMST 620240	6 <i>"</i>	20/BAG*	12 BAGS/CTN
F	FCMST 650500	6″	50/BAG*	10 BAGS/CTN

*Counts vary by weight. Letters reference staple style on page 66

LANDSCAPE STAPLES BULK CARTONS •11 GAUGE				PAGE 66
	PART #	SIZE	AMT PER CTN	QUANTITY
Е	FCMST 8500	8″	500/CTN*	50 CTNS/PLT
F	FCMST 61000	6″	1000/CTN*	60 CTNS/PLT
G	FCMST 41000	4″	1000/CTN*	60 CTNS/PLT

*Counts vary by weight. Letters reference staple style on page 66

IRRIGATION STAPLES				PAGE 66
	PART #	SIZE	AMT PER CTN	QUANTITY
Н	FCMST 6251000-l	6 <i>″</i>	25/BAG*	40 BAGS/CTN
Н	FCMST 61000-I	6″	1000/CTN*	60 CTNS/PLT

*Counts vary by weight. Letters reference staple style on page 66

ROUND TOP PINS PAGE 66				
	PART #	SIZE	AMT PER CTN	QUANTITY
1	FCMST 6-RT1000	6″	1000/CTN*	75 CTNS/PLT

*Counts vary by weight. Letters reference staple style on page 66

STRINGALONG™ COLLARS		PAGE 67
PART #	DESCRIPTION	QUANTITY
FCSTR COLLAR 10 PK	10 PACK	10 COLLARS
FCSTR COLLAR REFILL	REFILL	50 COLLARS

STRINGALONG™	PAGE 67	
PART #	DESCRIPTION	QUANTITY
FCSTR COLLAR DISP	DISPLAY	50 COLLARS

STRINGALONGS	PAGE 67	
PART #	DESCRIPTION	QUANTITY
FCSTR COMBO	COMBO PACK	10 COLLARS
FOSTR COMBO	COLLARS & STAKES	10 STAKES

STRINGALONG™	PAGE 67	
PART #	DESCRIPTION	QUANTITY
FCSTR STAKE 10 PK	3/4"x24" FORMING STAKE	10 STAKES

6 MIL. POLY SHEETING*			PAGE 67
PART #	SIZE	AMT PER CTN	QUANTITY
FBPF6 06100	6´X100´	1	100 CTNS/PLT
FBPF6 10100	10´X100´	1	48 CTNS/PLT
FBPF6 20100	20 X100 ´	1	25 CTNS/PLT

*Contact Customer Service at 800-752-9326 for other available sizes

STRETCH WRAP PAGE 67								
PART #	SIZE	GAUGE	QUANTITY					
SW 181500 70 GA	18″X1500´	70	4/CTN					
SW 181000 120 GA	18″X1000´	120	4/CTN					

RETAIL DISPLAY

NARROW SEALER DISPLAY PAGE 6							
PART #	WEIGHT						
MSIDE	72"H X 28"W X 24"D	73 LBS					

FABRIC DISPLAY PAGE 69								
PART #	DIMENSIONS	WEIGHT						
MMETAL RACK	72″H X 28¼″W X 27″D	45 LBS						

ADHESIVE DISPLAY PAGE 6							
PART #	PART # DIMENSIONS						
ADISPLAY	67"H X 16"W X 16"D	40 LBS					





@ SRWproducts














S	SRVA PRODUCTS SURFACE APPLICATION	RETAINING WALLS	PAVERS/CONCRETE	POOL COPINGS	NATURAL STONE & Veneers	MANUFACTURED Stone	BRICK	OUTDOOR KITCHEN	MASONRY	METALS	WOOD	FOAMBOARD	MOST PLASTIGS	GLASS & MIRROR	CERAMIC TILE	FIRE PITS
	VERTICAL INSTANT LOCK*															
SIVE	VERTICAL INSTANT LOCK* SUPERIOR STRENGTH SOLVENT															
ADHESIVE	1 1 1															

^{*}Always make sure at least one surface is porous. Always test in a small area. Check product label for interior/exterior use.

	SRVA PRODUCTS SURFACE APPLICATION	CONGRETE PAVERS	CLAY PAVERS	CONGRETE Permeable pavers	WETGAST	GRANITE/QUARTZ	MARBLE/TRAVERTINE	LIMESTONE	BLUESTONE/ SANDSTONE	BLOCK Retaining Walls	MANUFACTURED Stone	STAMPED CONCRETE	SEALER/CLEANER CATEGORY
	PS PENETRATING												甘
	LG LOW GLOSS												PAVER SEAL
	HG HIGH GLOSS												PAV
	PSX PENETRATING X-TREME												
	LGX LOW GLOSS X-TREME					_				_			SEAL
န္	HGX HIGH GLOSS X-TREME												PREMIUM SEAL
SEALERS	DG DUAL GUARD	_			_								PRE
S	Du BORE GORILD												
	PRX PAVER RESTORE X-TREME												
	SGX STAIN GUARD X-TREME												SPECIALTY SEAL
	JS JOINT STABILIZER												IALTY
	CG COUNTER GUARD												SPEC
	S-PS PENETRATING												
	PW PAVER WASH												N A
	DW DUAL WASH												GENERAL CLEAN
S	EF EFFLORESCENCE	_	_			_				-			
CLEANERS	M³C MOLD, MOSS & MILDEW												AN
SEA.	CDX CLEANER DEGREASER X-TREME		_										SPECIALTY CLEAN
	RE RUST ELIMINATOR		-		_								CIALT
	OC ORGANIC STAIN CLEANER	-			-	-				-		_	SPE
	XY XYLENE SOLVENT												
	SS SEALER STRIPPER												

Always test a small area. Check product label for interior/exterior use. Refer to surface material manufacturer's recommendations on whether or not to seal.



	GEOGRID: CROSS REFERENCE CHART														
SRW		STRATA SYNTEEN		MIR	MIRAFI		TENSAR		CARTHAGE		VERSA-LOK		GEOSTAR		
Series	LTDS	Stratagrid [®]	LTDS	SF	LTDS	Miragrid [®]	LTDS	MSE/HS	LTDS	GX®	LTDS	VersaGrid	LTDS	GeoGrid	LTDS
Universal	688	_	_	-	_	_	_	-	-	_	-	_	_	MG100	963
3 Series	1161	SG150	939	SF20	1161	2XT	1202	UX 1100	1450	SF20	1161	-	ı	HP100	1155
5 Series	2064	SG200	1919	SF35	2064	3XT	2104	UX 1400	1760	SF35	2064	VG3	2064	HP200	2057
7 Series	2867	SG350	2666	SF55	2867	5XT	2826	UX1500	2860	SF55	2867	VG5	2867	HP300	2862
8 Series	3555	SG500	3412	SF65	3555	7XT	3547	UX1600	3620	SF65	3555	_	ı	_	_
9 Series	4329	SG550	4346	SF80	4329	8XT	4449	UX1700	4390	SF80	4329	VG8	4329	HP500	4404
10 Series	5160	SG650	5332	SF90	5160	_	_	UX1800	5080	SF90	5160	_	_	_	_
11 Series	5906	SG700	6292	SF110	5906	10XT	5712	-	-	SF110	5906	_	-	HP700	5929
		-	01	DIV Doodha	no Coogrio	le are also	ovoilable C	all for quat	o and indivi	idual anaga			-	-	

SRW Roadbase Geogrids are also available. Call for quote and individual specs.

GEOGRID SPECIFICATIONS										
PROPERTIES	Units	3 Series	5 Series	7 Series	8 Series	9 Series	10 Series	11 Series		
Long Term Design Strength	lb/ft, MD	1161	2064	2867	3555	4329	5160	5906		
Aperture Size (avg)	MD x CMD	.79" x 1"	.79" x 1"	.79" x 1"	.79" x 1"	.79" x 1"	.63" x 1"	.63" x 1"		
Design Strength Properties	RFCR/ RFID /RFD	1.51/1.05 /1.10	1.51/1.05 /1.10	1.51/1.05 /1.10	1.51/1.05 /1.10	1.51/1.05 /1.10	1.51/1.1 /1.05	1.51/1.05 /1.1		
Wide Width Tensile Strength	% Ultimate, MD	2025	3600	5000	6200	7550	9000	10300		
Roll Widths	ft	4, 6, 12	6, 12	6, 12	6, 12	6, 12	6, 12	6, 12		
Comparitive Products	-	Mirafi 2XT Strata SG150	Mirafi 3XT Strata SG200	Mirafi 5XT Strata SG350	Mirafi 7XT	Mirafi 8XT Strata SG550	-	-		

ROAD BASE GRID SPECIFICATIONS								
PROPERTIES	Units	Type 1	Type 2					
Ultimate	MD	850	1310					
Strength	XMD	1300	1970					
Tensil at 2%	MD	280	410					
Strain	XMD	450	620					
Tensil at 5%	MD	580	810					
Strain	XMD	920	1340					
Aperture Size (avg)	MD	1.06"	1.10"					
	XMD	1.45"	1.49"					
Min. Rib Thick-	MD x	.03"	.05"					
ness	CMD	.03"	.05"					
Roll Widths	ft	12.9'	12.9'					
Comparitive Products	_	Tensar BX1100	Tensar BX1200					

Specifications current at the time of printing. Call SRW Products 800-752-9326 for inquiries.




TECHNICAL PRODUCT INFORMATION

One of the benefits of partnering with SRW Products is our dedication to customer service & support. We also provide our product technical data sheets & safety



answer technical questions you might have. Call us,



500 Series

GEOTEXTILE S	PECIFICAT	IONS		NON-WOVE	WOVEN	WOVEN FABRICS		
PROPERTIES	TEST	UNITS	NW4	NW4.5	NW6	EC8	SS5	SS6
Grab Tensile Strength	D4632	lbs	100	120	160	205	200	315
Grab Elongation	D4632	%	50	50	50	50	15	15
Trap-Tear Strength	D4533	Ibs	45	50	60	85	75	120
CBR Puncture	D6241	lbs	300	340	410	535	700	1000
Water Flow Rate	D4491	gpm/ft²	140	135	110	95	5	4
Permittivity	D4491	1/sec	2	1.7	1.5	1.4	.05	.05
UV Resistance (500 hr)	D4355	%	70	70	70	70	70	70
Apparent Opening Size	D4751	US Sieve	70	70	70	80	40	40

Specifications current at the time of printing. Call SRW Products 800-752-9326 for inquiries.

Pro 5

Pro Plus V

	LANDSCAPE FA	ABRIC CROSS REFERE	NCE CHART	
SRW	DEWITT	FABRISCAPE	HANES	Ground Cover Industries
PS1.5 (15 yr)	15 yr Weed Barrier	-	_	180 Series
PS2 (20 yr)	-	-	Weed Barrier (Pro Ion)	-
PS3 (30 yr)	30 yr Weed Barrier	-	Weed Barrier (Pro Ion Plus)	395 Series
SB2 (20 yr)	Typar Premium/Contractor's Select	Commercial Weed Stopper	Pro Steel	211 Series
SB3 (30 yr)	Typar Professional/Contractor's Select Plus	Professional Spunbond	Pro Steel Plus	295 Series
GC3	-	-	Ground Cover (Pro Gold)	-
GC PRO	Sunbelt	Woven Ground Cover	_	320 Series
LS3	LS3 – Professional N		_	_
Pro Plus IV	Professional Max Weed Control	Woven Weed Restrictor	Pro Platinum	450 Series

	CONSTRUCTION	N FABRIC CROSS RE	FERENCE CHART	
SRW	MIRAFI	WILLACOOCHE	US FABRICS	SKAPS
NW4	140NC	400N	US 100NW	GT 140
NW4.5	140N	450N	US 120NW	GT 142
NW6	160N	600N	US 160NW	GT 160
NW7	170N	700N	US 180NW	GT 170
EC8	180N	800N	US 205NW	GT 180
NW10	1100N	1000N	US 250NW	GT 110
NW12	1120N	1200N	US 300NW	GT 112
NW16	1160N	1600N	US 380NW	GT 116
SS5	500X	200W	US 200	SW 200
SS6	600X	315W	US 315	SW 315

Woven Weed Restrictor Plus

Pro Platinum Plus

These cross-reference tables are for comparison only. This information has been obtained from the manufacturers' literature or website. It is the users' responsibility to verify that this is the most current information. All final geogrid/construction comparisons should be determined by a licensed design engineer.

HIGH PERFORMANCE FABRIC CROSS REFERENCE CHART				
SRW	MIRAFI	WILLACOOCHEE	US FABRICS	SKAPS
SRW 270HP	HP270	WINFAB 270HP	US 2500	M220
SRW 370HP	HP370	WINFAB 370HP	US 3600	M330
SRW 4x4	HP565	WINFAB 4x4	US 4800	-
SRW 570HP	HP570	WINFAB 570HP	US 4800	M440
SRW 770HP	HP770	WINFAB 770HP	US 7200	_
SRW MM300	FW300	WINFAB 2300	US 830	-
SRW MM402	FW402	WINFAB 2197	US 1540	M404
SRW MM403	FW403	WINFAB 2403	US 840	_
SRW MM404	FW404	WINFAB 2404	US 230	_
SRW MM700	FW700	WINFAB 2199	US670	M706
Permeable 350	_	_	_	_

JOINTING SANDS • EDGING • ADHESIVE • CLEANERS • SEALERS
DIAMOND BLADES • FABRIC • GEOGRID • WALL SYSTEMS &
ENGINEERING • TURF ACCESSORIES • BASE REPLACEMENT
EROSION & IRRIGATION • ACCESSORIES



Contact us: 800-752-9326
View our digital catalog at SRWProducts.com